





Government Officials





Manual for Training of Trainers / 3 Days



Funded by: Ministry of Electronics and Information Technology

(2016)

Imprint

Authors

Dr. Ashish Chaturvedi, Gautam Mehra, Sonal Chaturvedi and Jai Kumar Gaurav

Acknowledgements

We would like to acknowledge the support and guidance of Dr. Debashis Dutta, MeitY, Dr. Sandip Chatterjee, MeitY, Ms. Priyanka Porwal, MeitY. We would also like to thank Dr.(Mrs.) Niloufer Shroff, Former Director, MeitY, Shri Anand Kumar, CPCB, Shri Anil Mehta, RICOH and Ms. Parul Gupta, MeitY along with the Expert Review Committee set up by MeitY for their feedback and guidance. We would also like to thank Anwar Shirpurwala and Tushar Verma for their support in identifying this opportunity and supporting us through their ideas and critical feedback

National Institute of Electronics & Information Technology (NIELIT)

Electronics Niketan, 6 CGO Complex, Lodhi Road, New Delhi-110003 Phone:- 91-11-2436 3330 -36

Email:- contact@nielit.gov.in

Ministry of Electronics and Information Technology

Electronics Niketan, 6, CGO Complex, Lodhi Road, New Delhi 110003, India

Tel: +91-11-24301851

E-Mail: mailto:webmaster@deity.gov.in

Disclaimer:

"All the contents, facts, figures, views, comments etc. have been compiled by Manufacturer's Association for Information Technology (MAIT), who holds copyrights for these contents.

National Institute of Electronics & Information Technology (NIELIT), Government of India does not hold any rights and responsibility of the contents and shall not be responsibility/ liable for any infringement/ other claims/ actions in respect of / related to these contents.

The Project entitled "Capacity Building on E-waste through 1/3/5 day For training program under Digital India" is funded by Ministry of Electronics and Information Technology (MeitY)/Government of India.

Also, the prime purpose and focus of the "Content for Capacity Building on E-waste through 1/3/5 day For training program under Digital India through Digital India Initiative" shall not be referred to use/ quoted/ in matters of legal proceeding as the matter is solely for dissemination of awareness.

NIELIT and MAIT take no responsibility for the legal validity of the content".

Copyright Notice



This work is licensed under a Creative Commons Attribution-Non Commercial-No Derivatives 4.0 International License.

Table of Contents

General Introduction	3
1. Introduction & Overview	8
2. Background on E-waste	10
3. Hazardous Substances in E-Waste	18
4. Policies for e-waste management in our country	27
5. E-waste Value Chain	34
6. Site visit to e-waste recycling plant/ clusters	38
7. Compliance Mechanisms on E-Waste	40
8. Developing an Personal Action Plan	43
9. Activities by Participants	49
10. References	52
Annexure- 1: E-waste (Management) Rules, 2016	55
Annexure- 2: E-waste Quiz	96

Annexture-3: Development Action Plan

List of Tables	
	_
Table 1: Training Course Structure	7
Table 2: Training Course Outline	9
Table 3: Categories and products of electrical and electronic equipment	11
Table 4: Percentage weight of different materials in e-waste (UNEP) 2007	15
Table 5: Recoverable quantities of elements in a TV	15
Table 6: Recoverable Quantities of elements in a refrigerator	15
Table 7: Recoverable quantities of elements in a PC	16
Table 8: Possible hazardous substances in WEEE/E-waste components	19
Table 9: Pollutants and their occurrence in WEEE	20
Table 10: Hazards from e-waste substances	20
Table 11: Action Plan	47
List of Figures	
Figure 1: Sources of E-waste in India (% of total E-waste generated)	13
Figure 2: State wise E-waste Generation in India (% of total waste)	13
Figure 3: Resources embedded in e-waste	14
Figure 4: Major stakeholders of trade value chain	35
Figure 5: E-waste Flow within India (Skinner, Lloyd, Dinter & Strothmann, 2010)	36
Figure 6: E-waste trade value chain based on Material Flow Analysis	36
Figure 7: General planning cycle	44
Figure 8: Planning Process	44
Figure 9: The Plan-Do-Check-Act approach	45

104

General Introduction

Project Background

Capacity Building of Government Employees on 'e-Waste' Training Program, under 'Digital India Initiative'

Ministry of Electronics and Information Technology (MeitY) has initiated the project "Awareness Programme on Environmental Hazards of Electronic waste" on March 31, 2015 under the 'Digital India' initiative of the Government of India. The project is expected to have far reaching and significant impact on the growth of the country as it focuses on reuse and recycling of e-waste, which has the potential to conserve natural resources. The project will also help in effective implementation of e-Waste Management Rules, 2016.

The National Institute of Electronics and Information Technology (NIELIT), a body with the Ministry of Electronics and Information Technology (MeitY), is mandated to carry out HR development and related activities in the area of Information, Electronics and Communication Technology (IECT), as the HRD arm of MeitY. NIELIT is actively engaged in the development of qualified human resources in the areas of IT; Electronics; Communication Technologies; Hardware; Cyber Law; Cyber Security; GIS; Cloud Computing; ESDM; e-Governance etc. and has huge potential to create awareness among various Government Departments.

Vide MeitY's letter No.F.No.7(4)/2015 dated April 19, 2016, NIELIT has been awarded a project titled 'Capacity Building of Government Officials on e-waste Awareness' under which Government Officials shall be trained on e-Waste Management.

The major concern of e-Waste Management in India is lack of awareness among various stakeholders about the ill effect of the end-of-life products. It is essential that Government Officials are made aware about e-waste, its hazards and management. This project aims to create awareness on e-waste management and build capacity among officials of Central and State Government Departments, in general, and those of Department of IT, Science & Technology and associated departments, Railways, Defence etc. in particular through customized training programms. The training will help to inculcate better implementation of e-Waste Management Rules, 2016.

Under the project, training of Government officials shall be conducted on grant-in-aid basis sponsored by MeitY and training of officials from other organizations such as PSU officials, bank officials, industry etc., shall be conducted on payment basis. The objective of enrolling candidates on payment basis would ensure optimal utilization of efforts/ resources, while increasing the target number of candidates. In the initial phase of one year, the training programme will be conducted at 10 identified States. After completion of one year, the training will be extended to remaining states so that a total of 29 States are targeted on PAN India basis.

This training manual will help to provide the information on e-waste management through self-explanatory and engaging mode.

The objectives of the manual are the following:

To act as a tool for enhancing the understanding of the trainers who would be involved in conducting the training for Government Employee on the subject of e-waste.

To serve as a ready reference for trainers to design and organize trainings on the subject of e-waste for Government Employees.

To serve as a guide for implementing initiatives by Government Employees that contribute to safe e-waste management in India.

To serve as a compilation of information on the following issues related to the subject of e-waste:

- Background on E-Waste
- Hazardous Substances in E-Waste
- Policies for e-waste management in our country
- Inventorization of e-waste
- Efficient E-Waste Collection Mechanism
- Best Practices on Dismantling and Recycling
- Extended Producer Responsibility
- Compliance Mechanisms on E-Waste
- IEC Activities
- Developing an Action Plan

Objectives of the training of trainers:

The training of trainers has been designed with the objective to enhance the understanding on the subject of e-waste amongst Government Employees. This will be achieved by a training of trainers on the subject of e-waste and providing them with adequate tools to organize trainings for Government Employees.

The training of trainers will be followed by trainings for Government Employees so that they can contribute to effective handling and management of e-waste.

This specific trainings manual aims at regulators, policy-makers and other govt. departments. It informs them about the current situation in the e-waste recycling sector in India, the background of e-waste management and recycling as well as the legal provisions regarding and the responsibilities of the regulators and bulk consumers. This shall support the regulators in their duty to effectively implement the Rules.

Training Course Structure

The proposed structure of 1, 2 and 5 days of the workshop could be as below:

Day 1	Day 2	Day 3
Introduction and Overview	Policies for e-waste management in our country	Compliance Mechanisms on E-
		Waste
Background on E-	E-waste Value Chain	
Waste		Developing a personal Action Plan
Hazardous		
Substances in E-	Site visit to a e-waste	
Waste	recycling plant/ clusters of e-waste recycling	

How to use the manual

This manual has 3 major components to it with of the objective of providing experiential learning to its users.

Component 1 is "Introduction & Overview" will be the first section covered in the subsequent chapter 1. Component 2 will be covered in Chapter 2 and so forth.

Each chapter contains the guidelines on the presentation of the respective session. The chapter opens with a general summary of the session, followed by a structure of the session content in bullet points and the objectives of the session. This allows you to get a quick idea on what the training session is about. The rest of each chapter follows the outline and chronology of the presentation. This enables you as the trainer to use this manual together with the PowerPoint slides to prepare yourself and give the presentation.

At certain points in the manual you will find "trainer's note". These trainers's note directly addresses you as the trainer and reminds you of an important point, or some other task to be carried out before giving the respective part of the presentation.

At the end of the manual few activities are given, which will help in effective e-waste effective training programme. The activities are defined as group work, role play and present a case study etc.

Day 1

1. Introduction & Overview

1.1 Introduction

In this session, the trainers will be introduced to the concept of the training material. The agenda and objective of the training will be also made clear to the trainers, the participants will also talk about their expectations and outcomes of the programme.

1.1.1 Objectives of the Session

The objective of the session will be in the form of outcomes of the participants, which are followings:

- To understand the objectives of the training course
- Know about the expected outcomes of the training course
- Formulate their own expectations regarding the training
- Know about the structure of the training course

1.1.2 Overview of the Session

- General Objectives
- Expected Outcomes
- Participants' Expectations
- Training Course Outline

1.2 General Objectives:

- The objective of the training is to provide information about e-waste and associated health and environmental issue due to the presence of hazardous substances
- Gain the information relevant to bulk consumers and govt. officials
- Further steps taken towards the successful implementation of E-waste (Management) of Rules, 2016
- Encourage participants to draw their actions for implementing the Rules and improving the management of e-waste in their state and within their Organisation
- Provide exposure to the ground reality of e-waste management and recycling in the country

1.3 Expected Outcomes

Expected outcomes of the training are

- Making participants understand the basics of e-waste such
- Clear understanding of responsibilities of all stakeholders in value chain for implementing the Rules
- Information regarding key challenges of e-waste management from a regulator's
- Knowledge about Resources and toxic material in e-waste and their effects
- Supporting participants in developing an action plans containing detailed steps and activities on
- how to proceed with the proper implementation of the Rules

1.4 Training Course Outline

A possible course structure for day 1 of the workshop could be as below:

Session Title	Time
Introduction and Overview	10:30- 11:00
Tea Break	11:00-11:30
What is e-waste	11:30- 1:00
Lunch	1:00- 2:00
Policies Governing E-waste in India	2:00- 3:30
Tea Break	3:30-4:00
Best Practices for E-waste Management – within India and Across the World	4:00- 5:00

Table 2: Training Course Outline

2. Background On E-waste

2.1 Introduction

In this session the participants are introduced to the issues associated with the generation, management and disposal of E-Waste. It is discussed what e-waste is composed of, how much e-waste is generated and by whom as well as where. The participants will also be aware about the resources embedded in e-waste as well as environment and health effects due to toxic substances.

2.1.1 Objectives of the Session

At the end of this session the participants should:

- Have a basic understanding on the problems associated with e-waste management
- · Know what e-waste is composed of
- Know where e-waste is produced and in what quantities
- Understanding of Policies Governing E-waste in India

2.1.2 Overview of the Session

- What is e-waste
- · Composition of e-waste
- · Generation of e-waste
- Environment and health hazards of e-waste
- State and city wise e-waste in India
- Policies Governing E-waste in India

2.2 What is E-waste?

'E-waste' means electrical and electronic equipment, whole or in part discarded as waste by the consumer or bulk consumer as well as rejects from manufacturing, refurbishment and repair processes. It includes electrical and electronic equipment including their components, consumables, parts and spares covered under the rules.

Growth of Information and Communication Technology Sector has enhanced the usage of the electronic equipment exponentially. Today electronic waste is one of the fastest growing waste streams in the country with a growth rate of 10% per annum¹ (Chatterjee 2011). There is no comprehensive and recent inventory of e-waste in the country however as per Central Pollution Control Board's (CPCB) preliminary estimates the e-waste generation in India has been estimated to be 0.8 million tonnes by 2012. Also according to a report by United

¹ http://mit.gov.in/sites/upload_fi_les/dit/fi_les/EWaste_Sep11_892011.pdf

Nations (UN) the world wide generation of e-waste is estimated around 30-50 million tonnes per annum² (Indian Central Pollution Control Board 2011).

In developed countries E-waste equals 1% of total solid waste on an average. In USA it accounts for 1% - 3% of the total municipal solid waste generation. In European Union, Waste Electrical and Electronic Equipment (WEEE) or e-waste increases by 16-28% every year which is three times faster than the average annual municipal solid waste generation. In India and China although the per capita generation is less than 1 kg it is growing at an exponential pace. The increasing "market penetration" in developing countries, "replacement market" in developed countries and "high obsolescence rate" make WEEE/E-waste one of the fastest waste streams³ (UNEP 2007a).

E-Waste can be defined by the following characteristics:

- Electronic waste or e -waste is any broken or unwanted electrical or electronic appliance.
- E-waste includes computers, consumer electronics, phones, medical equipments, toys and other.
- Items that have been discarded by their original users.
- E-Waste also includes waste which is generated during manufacturing or assembling of such equipments.

Categories of E-waste according to E-Waste (Management) Rules, 2016

Table 3: Categories and products of electrical and electronic equipment

Sr.	Categories of electrical and electronic equipment	Electrical and
No.		electronic
		equipment code
i.	Information technology and telecommunication equipment	
	:	
	Centralised data processing: Mainframes, Minicomputers	ITEW1
	Personal Computing: Personal Computers (Central Processing	ITEW2
	Unit with input and output devices)	
	Personal Computing: Laptop Computers(Central Processing	ITEW3
	Unit with input and output devices)	
	Personal Computing: Notebook Computers	ITEW4
	Personal Computing: Notepad Computers	ITEW5
	Printers including cartridges	ITEW6
	Copying equipment	ITEW7
	Electrical and electronic typewriters	ITEW8
	User terminals and systems	ITEW9
	Facsimile	ITEW10
	Telex	ITEW11

² http://cpcb.nic.in/ImplementationOfE-WasteRules.pdf

³ http://www.unep.or.jp/ietc/Publications/spc/EWasteManual Vol1.pdf

	Telephones	ITEW12
	Pay telephones	ITEW13
	Cordless telephones	ITEW14
	Cellular telephones	ITEW15
	Answering systems	ITEW16
ii.	Consumer electrical and electronics:	
	Television sets (including sets based on (Liquid Crystal Display and Light Emitting Diode technology)	CEEW1
	Refrigerator	CEEW2
	Washing Machine	CEEW3
	Air-conditioners excluding centralised air conditioning plants	CEEW4
	Fluorescent and other Mercury containing lamps	CEEW5

2.3 E-waste generation in India

India is the fifth biggest producer of e-waste in the world; discarding 1.7 million tonnes (Mt) of electronic and electrical equipment in 2014, a UN report have warned that the volume of global e-waste is likely to rise by 21 per cent in next three years 4. IT and electronic industry have contributed significantly to the overall economic growth.

In India, there are 10 States that contribute to 70 per cent of the total E-waste generated in the country, while 65 cities generate more than 60 per cent of the total E-waste. Among the 10 largest E waste generating States, Maharashtra ranks first followed by Tamil Nadu, Andhra Pradesh, Uttar Pradesh, West Bengal, Delhi, Karnataka, Gujarat, Madhya Pradesh and Punjab. Among the top ten cities generating E-waste, Mumbai ranks first followed by Delhi, Bengaluru, Chennai, Kolkata, Ahmedabad, Hyderabad, Pune, Surat and Nagpur. The main sources of E-waste in India are the government, public and private (industrial) sectors, which account for almost 70% of total e-waste. The contribution of individual households is relatively small at about 15%; the rest being contributed by manufacturers. Though individual households are not large contributors to waste generated by computers, they consume large quantities of consumer goods and are responsible to generate waste. An Indian market Research Bureau (IMRB) survey of 'E-waste generation at Source' in 2009 found that out of the total e-waste volume in India, televisions and desktops including servers comprised 68 per cent and 27 per cent respectively. Imports and mobile phones comprised of 2 per cent and 1 per cent respectively (Rajya Sabha Secretariat 2011). However an AssochamcKinetics study pointed out that global volume of e-waste generated is expected to reach from 93.5 MT in 2016 to 130 MT in 2018 at a CAGR of 17.6 percent during the period

⁴ India fifth biggest generator of e-waste in 2014: UN report - The Hindu




Figure 1: Sources of E-waste in India (% of total E-waste generated)

Source: MAIT, 2013




Figure 2: State wise E-waste Generation in India (% of total waste)

Source: IRGSS, 2005

2.4 Resources embedded in e-waste

The electronic and electrical item consists of more than 1000 different substances which can fall under hazardous and non-hazardous categories. The resources embedded in e-waste are very diverse and contains products across different categories. As shown in the below picture, the major constituents are ferrous and non-ferrous metals, plastics, glass and plywood, printed circuit boards, concrete and ceramics, rubber and other items.




Figure 3: Resources embedded in e-waste

Source: UNEP

2.4.1 Benefits from environmentally sound management of e-waste

The given below table shows the average weight and composition of some selected electronic and electrical appliances which is most commonly used electronics and electrical that constitutes bulk quantities of WEEE/E-waste in developing countries. The presence of elements like lead, mercury, arsenic, cadmium, selenium, and hexavalent chromium and flame retardants beyond threshold quantities in WEEE / E-waste classifies them as hazardous waste.

Table 4: Percentage weight of different materials in e-waste (UNEP) 2007

Appliances	Average Weight(kg)	Iron(Fe) % weight	Non Fe- metal % weight	Glass % weight	Plasti c % weigh t	Electronic Component s % weight	Other s % Weigh t
Refrigerator s and freezers	48	64.4	6	1.5	13		15.1
Washing machine	40-47	59.8	4.6	2.6	1.5		31.5
Personal computer	29.6	53.3	8.4	15	23.3	17.3	0.7
TV sets	36.2	5.3	5.4	62	22.9	0.9	3.5
Cellular telephones	0.08-0.100	8	20	10.6	59.6		1.8

Source: (UNEP) 2007

The recovery of the elements embedded in e-waste has economic value and recovery material makes it a source of secondary raw material for manufacturing of the products, which can lead a profitable business. The tables given below explain recoverable quantities of elements in some common household electronics which can be reused for other purposes.

Table 5: Recoverable quantities of elements in a TV

Elements	Percentage	ppm	Recoverable weight of element(kg)
Aluminium	1.2		0.4344
Copper	3.4		1.2308
Lead	0.2		0.0724
Zinc	0.3		0.1086
Nickel	0.038		0.013756
Iron	12		4.344
Plastic	26		9.412
Glass	53		19.186
Silver		20	0.000724
Gold		10	0.000362

Table 6: Recoverable Quantities of elements in a refrigerator

Material Type	Percentage
CFCs	0.20
Oil	0.32
Ferrous metals	46.61
Non Ferrous metals	4.97
Plastics	13.84
Compressors	23.80
Cables/Plugs	0.55
Spend PurfFoam	7.60
Glass	0.81
Mixed Waste	1.31
Total	100
Materials disposed of to incinerator	0.20
Materials disposed of to landfill	8.90
Materials sent for recycling	90.90

Source: Cambodian Ministry of Environment 2009

Table 7: Recoverable quantities of elements in a PC

Elements	Content (% to total weight)	Content (kg)	Recycling efficiency (%)	Recoverable weight of element (kg)
Plastic	23	6.25	20%	1.25069408
Lead	6	1.71	5%	0.08566368
Aluminium	14	3.85	80%	3.08389248
Germanium	0.0016	0.00	0%	0
Gallium	0.0013	0.00	0%	0
Iron	20	5.57	80%	4.45453312
Tin	1	0.27	70%	0.19188512
Copper	7	1.88	90%	1.69614576
Barium	0.0315	0.01	0%	0
Nickel	0.8503	0.23	0%	0
Zinc	2	0.60	60%	0.359790721
Tanialum	0.0157	0.00	0%	0
Indium	0.0016	0.00	60%	0.00026112
Vanadium	0.0002	0.00	0%	0
Terbium	0	0.00	0%	0
Beryllium	0.0157	0.00	0%	0
Gold	0.0016	0.00	99%	0.000430848
Europium	0.0002	0.00	0%	0
Tritium	0.0157	0.00	0%	0

Elements	Content (% to	Content (kg)	Recycling	Recoverable
	total weight)		efficiency (%)	weight of
				element (kg)

E-Waste Awareness For Government Officials

Ruthenium	0.0016	0.00	80%	0.00034816
Cobalt	0.0157	0.00	85%	0.00362984
Palladium	0.0003	0.00	95%	0.00007752
Manganese	0.0315	0.01	0%	0
Silver	0.189	0.01	98%	0.005037984
Antinomy	0.0094	0.00	0%	0
Bismuth	0.0063	0.00	0%	0
Chromium	0.0063	0.00	0%	0
Cadmium	0.0094	0.00	0%	0
Selenium	0.0016	0.00	70%	0.000304643
Niobium	0.0002	0.00	0%	0
Yttrium	0.0002	0.00	0%	0
Rhodium	0	0.00	50%	0
Mercury	0.0002	0.00	0%	0
Arsenic	0.0013	0.00	0%	0
Silica	24.8803	6.77	0%	0

Source: Cambodian Ministry of Environment 2009

3. Hazardous Substances in E-Waste

3.1 Introduction

In this session, the trainers will be introduced about the hazardous substances in e-waste. The pollutants and their occurrence will also be defined to the participants. The participants will get knowledge about the health impacts due to these hazardous substances.

3.1.1 Objectives of the Session

The objective of the session will be in the form of outcomes of the participants, which are followings:

- To understand the hazards of e-waste
- To know about the hazardous substance and their occurrence
- Health and environment impacts of e-waste due to processing of e-waste

3.1.2 Overview of the Session

- Possible hazardous substances in WEEE/E-waste components
- Pollutants and their occurrence in WEEE
- Hazards from e-waste substances
- Risks to Health and Environment during E-Waste Processing
- Case Studies

Hazardous Substances in E-Waste

Electronic waste is filled with a variety of toxic materials, which creates a serious risk for human health and the environment if they are released during processing, recycling or disposal. The major constituents are ferrus and non- ferrous metals, plastics, glass and plywood, printed circuit boards, concrete and ceramics, rubber and other items. Iron and steel constitutes about 50% of the WEEE followed by plastics (21%), non-ferrous metals (13%) and other constituents. Non-ferrous metals consist of metals like copper, aluminum and precious metals like silver, gold, platinum, palladium etc. Other than these resources heavy metals and organic compounds are also found which contains in e-waste such as lead, cadmium, mercury, arsenic, beryllium, polyvinyl chloride (PVC), Brominated Flame Retardants (BFRs) and phthalates.

Table 8: Possible hazardous substances in WEEE/E-waste components

Component	Possible Hazardous Content	
Metal		
Motor/compressor		
Cooling	ODS	
Plastic	Phthalate plasticize, BFR	
Insulation	Insulation ODS in foam, Asbestos,	
	refractory ceramic fiber	
Glass		
CRT	Lead, antimony, mercury, phosphors	
LCD	Mercury	
Rubber	Phthalate plasticizer, BFR	
Winning/electrical	Phthalate plasticizer, lead , BFR	
Concrete		
Transformer		
Circuit Board	Lead Beryllium, antimony, BFR	
Fluorescent Lamp Mercury, Phosphorus, Flame retardant		
Incandescent Lamp		
Healing element		
Thermostat	Mercury	
BFR – containing plastic	BFRs	
Batteries	Lead, lithium, Cadmium, Mercury	
CFC, HCFC , HFC , HC	Ozone depleting substances	
External electric cables	BFRs, plasticizers	
Electrolyte capacitors (over L/D 25mm)	Glycol, other unknown substances	

Source: Indian Central Pollution Control Board 2008

Among the substances mentioned in the table above, of most concern are the heavy metals such as lead, mercury, cadmium and chromium (VI), halogenated substances (e.g. CFCs), polychlorinated biphenyls, plastics and circuit boards that contain brominated flame retardants (BFRs). BFR can give rise to dioxins and furans during incineration. Other materials and substances that can be present are arsenic, asbestos, nickel and copper. These substances may act as a catalyst to increase the formation of dioxins during incineration.

Many of these pollutants are embedded in e-waste and are the constituents of complex materials, e.g. flame retardants in plastics, or are hidden inside electrical components, such as mercury in switches, therefore these materials are difficult to isolate and separate from the other components. The material fusions with equipments make the recycling of e-waste complicated and costly. Pollutants or toxins in E-waste are concentrated in circuit boards, plastics, batteries and LCDs (Liquid

crystal displays). To avoid serious environmental pollution and human exposure, adequate treatment of e-waste is crucial; particularly considering the huge amounts of e-waste we are producing globally⁵.

-

⁵ Swedish Environmental Protection Agency 2011

Table 9: Pollutants and their occurrence in WEEE

Pollutant	Occurrence	
Arsenic	Semiconductors, diodes, microwaves, LEDs (light emitting diodes), solar cells	
Barium	Electron tubes, filler for plastic and rubber, lubricant additives	
Brominated flame –proofing agent	Casing, circuit boards (plastic), cables and PVC cables	
Cadmium	Batteries, pigments solder, alloys, circuit boards, computer batteries, monitor cathode ray tubes (CRTs)	
Chrome	Dyes/pigments, switches, solar	
Cobalt	Insulators	
Copper	Conducted in cables, copper ribbons, coils, circuitry, pigment	
Lead	Lead rechargeable batteries, solar, transistors, lithium batteries PVC(polyvinyl chloride) Stabilizers, lasers, LEDs, thermoelectric elements, circuit boards	
Liquid crystal	Displays	
Lithium	Mobile telephones, photographic equipment, video equipment (batteries)	
Mercury	Components in copper machines and steam irons; batteries in clocks and pocket calculators, switches, LCDs	
Nickel	Alloys, batteries, relays, semiconductors, pigments	
PCBs (Polychlorinated biphenyls)	Transformers, capacitors, softening agent for paint, glue plastic	
Selenium	Photoelectric cells, pigments, photocopiers, fax machine	
Silver	Capacitors, switches (contacts), batteries, resistors	
Zinc	Steel, brass, alloys, disposable and rechargeable batteries, luminous substances.	

Source: Raiya Sabha Secretariat 2011

The major hazards associated with the harmful elements in the composition of WEEE are listed in the table below. As shown in the table, toxic substances are found in components of the electronic or electrical products, which release highly toxic dioxins, furans and acid when burned to retrieve metals from the product. Many of these substances are toxic and carcinogenic⁶. The materials are complex and have been found to be difficult to recycle in an environmentally sustainable manner even in developed countries.

Table 10: Hazards from e-waste substances

Metal	Danger		
Lead	A neurotoxin that affects the kidneys and the reproductive system, high		
	quantities can be fatal. It affects mental development in children. Mechanical		
	breaking of CRTs (cathode ray tubes) and removing solder form microchips		

_

⁶ E-Waste in India, Rajyasabha Secretarial New Delhi, 2011

	release lead as powder and fumes.
Plastic	Found in circuit boards, cabinets and cables, they contain carcinogens. BFRs or Brominated flame retardants give out carcinogenic Brominated dioxins and furans Dioxins can harm reproductive and immune systems. Burning PVC, a component of plastics, also produces dioxins BFR can leach into landfills Even the dust on computer cabinets contains BFR.
Chromium	Used to protect metal housings and plates in a computer from corrosion, inhaling Hexavalent chromium or chromium 6 can damage liver and kidney and cause bronchial maladies including asthmatic bronchitis and lung cancer.
Mercury	Affect the central nervous system, kidneys and immune system. It impairs foetus growth and harms infants through mother's milk. It is released while breaking and burning of circuit boards and switches mercury in water bodies can form methylated mercury through microbial activity. Methylated mercury is toxic and can enter the human food chain through aquatic.
Beryllium	Found in switch boards and printed circuit boards. It is carcinogenic and causes lung diseases.
Cadmium	A carcinogen. Long-term exposure causes Itai-Itai disease, which causes severe pain in the joints and spine. It affects the kidneys and softens bones. Cadmium is released into the environment as powder while crushing and milling of plastics, CRTs and circuit boards. Cadmium may be released with dust, entering surface water and groundwater.
Acid	Sulphuric and hydrochloric acids are used to separate metals from circuit board's furnes contain chlorine and sulphur dioxide, which cause respiratory problems. They are corrosive to the eye and skin.

E-waste typically contains complex combinations of materials and components down to microscopic levels. The wastes are broken down not just for recycling but for the recoverable materials such as plastic, iron, aluminium, copper and gold. However, since e-waste also contains significant concentration of substances that are hazardous to human health and the environment, even a small amount of E-waste entering the residual waste will introduce relatively high amount of heavy metals and halogenated substances. Such harmful substances leach into the surrounding soil, water and air during waste treatment or when they are dumped in landfills or left to lie around near it. Sooner or later, they would adversely affect human health and ecology.

Typical pathways for the release of pollutants from e-waste are:

Heavy metals

- Dust generated during mechnical treatment, for example, the dismantling and crushing of WEEE.
- Flue gas released during thermal treatment, for example, the release of metals from compounds during the incineration of plastic.
- Vaporization wherein metals are released from compounds in an acid bath

Dioxins and Furans


- Dioxins and furans are emitted during the thermal treatment of WEEE, for example during -
- The combustion of cable insulation containing PVC in order to recycle copper wiring
- The incineration of epoxy resin containing flame retardant from circuit boards in order to recycle the metal they contain

Acids

- Released in the form of vapour when metals are released from compounds. May also get distributed throughout the surrounding area in the following ways
- Factory air and dust being blown into the vicinity
- Leaching through waste water and seepage
- Release of flue gas into the atmosphere as a result of open incineration of furnace combustion

Constituents of E-Waste:

E-Waste Source	E-Waste Component	Environmental Hazard	Effects on Human
CRTs (used in TVs, Monitors, ATM, Video Camera, etc.), Batteries, PVC cables, Paints	Lead, barrum & other heavy metals	These metals leaching into the ground water and release of toxic phosphor	Anemia, Renal Toxicity, Insomnia
Batteries, Housing & Medical Equipment	Mercury	Air emissions as well as discharge into rivers of glass dust	Renal Toxicity, Muscle tumors, Mental retardation, Cerebral palsy
Plastics from printers, keyboards, monitors, etc	plasticizer bisephenol- A(or BPA), as well DEHP and DBP, plastic compounds known as phthalates	Chlorinated plastics release harmful chemicals into the surrounding soil, which seep into ground water or other surrounding water sources which cause serious harm to the species that drink this water.	Risk in developing heart problems, obesity, reproductive disease
PVC & polymer, Paints, Printing inks, Electrical transformers & capacitors	Polychlorinated Biphenyls (PCBs)	include extreme pollution from production, toxic chemical exposure during use, hazards from fires	Suppression of immune system; Damage to the liver, nervous and reproductive systems



Picture: Adverse Impact of e-waste

Source: http://www.capeewaste.co.za/why recycle ewaste.html

3.2 Risks to Health and Environment during E-Waste Processing:

Collection risk: Release of hazardous substances during breakage; release of Hg: breakage of light sources, switches

Dismantling risk: Emission of lead and barium oxide from crushing of CRT glass, risk of explosion because of vacuum in CRT

Shredding risk: Emission to air (e.g. plastic will give rise to various organic compounds as well as metals; evidence shows that Cd and Pb levels PBDE levels, and PBDD levels among workers in TV recycling facility are very high)

Pyro-metallurgical process risk: Fly ash has high amount of metal and PCDD/PBDD

Hydro-metallurgical process risk: Irritation of skin, eyes, respiratory tract kidney central nerve system, pollution of groundwater & environment

Landfilling risk: Leachate and evaporation of hazardous substance

Identification of toxic substances and awareness of hazards

Different components of electrical and electronic equipment have different hazardous substances, it is easier to identify the components and then determine how to handle the component considering the hazardous substance present in it.

Substance	Occurrence in e-waste		
Halogenated compounds:	The control of the co		
- PCB (polychlorinated biphenyls)	Condensers, Transformers		
- TBBA (tetrabromo-bisphenol-A) - PBB (polybrominated biphenyls) - PBDE (polybrominated diphenyl ethers)	Fire retardants for plastics (thermoplastic components, cable insulation) TBBA is presently the most widely used flame retardant in printed wiring boards and casings.		
- Chlorofluorocarbon (CFC)	Cooling unit, Insulation foam		
- PVC (polyvinyl chloride)	Cable insulation		
Heavy metals and other metals:			
- Arsenic	Small quantities in the form of gallium arsenide within light emitting diodes		
- Barium	Getters in CRT		
- Beryllium	Power supply boxes which contain silicon controlled rectifiers and x-ray lenses		
- Cadmium	Rechargeable NiCd-batteries, fluorescent layer (CRT screens), printer inks and toners, photocopyil machines (printer drums)		
- Chromium VI	Data tapes, floppy-disks		
- Lead	CRT screens, batteries, printed wiring boards		
- Lithium	Li-batteries		
- Mercury	Fluorescent tamps that provide backlighting in LCDs, in some alkaline batteries and mercury wetted switches		
- Nickel	Rechargeable NiCd-batteries or NiMH-batteries, electron gun in CRT		
- Rare Earth elements (Yttrium, Europium)	Fluorescent layer (CRT-screen)		
- Selenium	Older photocopying-machines (photo drums)		
- Zinc sulphide	Interior of CRT screens, mixed with rare earth metals		
Others:	SE TO SERVICE STATE OF SERVICE		
- Toner Dust	Toner cartridges for laser printers / copiers		
Radio-active substances - Americium	Medical equipment, fire detectors, active sensing element in smoke detectors		

Source: E-waste guide.info, (2016) Hazardous Substances in E-waste

Case Study

Hazards of e-waste recycling to human health and the environment:

Case study 1: Brazil

- Brazil is among the largest producers of electronic waste globally, with more than 1.4 million tons of this material produced each year.
- According to data from the Ministry of Environment, or Ministério do Meio Ambiente, only 13% of e-waste is treated correctly and 500 million of devices remain in the home unused.
- Brazil generates the most electronic waste from computers, with about 0.5 kg/person/year.
- In November 2013, the number of mobile phones in use in Brazil reached 271 million, i.e., well above the Brazilian population, which is 200 million.

Case study 2: Taizhou of Zhejiang province, China

- UK exports 1,00,000 tonnes of e-waste every year: majority goes to China
- Process adopted in China is rudimentary, with minimum emphasis on technology and health aspects
- Study was conducted in Taizhou of Zhejiang province (60,000 people and 2 million tonne of e-waste to recycle metal)
- Air samples were collected in the downstream and workers health check were conducted
- Release of POP and heavy metals: accumulated in body due to inhalation
- Test were conducted: Pollutants level were in the workers blood
- High probability of DNA damage which can induce cancer

Case study 3: Guiyu, China

- E-waste recycling region
- Highest level of dioxins ever recorded
- Chendian, a town 9 km away has 12-18 times less dioxins concentration
- Lianjiang and Nanyang river are highly polluted because of e-waste disposal
- Lianjiang river: high level of Ar, Cr, Li, Mo, Sb, Se
- Nanyang river: Ag, Be, Cd, Cu, Ni, Pb, Zn

Case Study

Case Study 5: Kolkata, India

- As per GIZ-MAIT Assessment Study, 2010, Kolkata generates around 26000 tonnes of potential annual e-waste annually, of which 9290 tonnes is available for recycling and only 2000 tonnes gets recycled
- Unorganized e-waste recycling industry (dismantling/recycling activities) is only present in Howrah region of Kolkata.

Case Study 6: Banglore, India

- As per ASSOCHAM Study, 2013, E-waste generation in Bangalore is 18,000 tonnes in a year
- Only 5-10 percent of the e-waste generated in the city is making it to the recyclers and 90 per cent of e-waste is still going into the informal sector
- As per E-parisara Survey report, a citizen from a middle-income household generates 21 kg of e-waste a year.
- As per Karnataka State Pollution Control Board (KSPCB). "Scrap dealers often just burn components in the open, which given the metallic content is hazardous to their health. Or they may dump what they cannot extract in drains and with other garbage, and this can leach into the ground and pollute groundwater."

Case Study 7: Moradabad, India

- As per CSE Study, 2015, the e-waste in Moradabad comes from all the metro cities, majorly from New Delhi (Shastri Park, Silampur, Mundka and Mandoli), Mumbai, Kolkata, Bangalore and Chennai.
- The soil and water of the river of bank Ramganga is highly contaminated with heavy metal such as zinc, copper, arsenic, chromium, lead, nickel and mercury above permissible limits.
- The circuit boards are sourced from computer monitors, CPUs, keyboards, television, remote control sets, radios, CD/DVD players, cell phones, compact fluorescent lamps (CFLs) and other electrical appliances.
- According to an estimate, 50 per cent of the PCBs used in appliances in India end up in Moradabad

Day 2

4. Policies for e-waste management in our country

4.1 Introduction to the Session

The session on the E-Waste (Management) Rules 2016 provides the participants with details on their content. This session will explain the various provisions of the and the responsibilities of the each stakeholder in the value chain.

4.1.1 Objectives of the Session

At the end of this session the participants should:

- Know about the provisions of the Rules
- Know about the various important terms used in the Rules and their defi nition
- Know about their responsibilities for the implementation of the Rules
- Know about the responsibilities of other stakeholder groups as per provision of the Rules
- Know about formalization of informal activities in the sector
- Be sensitized about the challenges in implementing the Rules

4.1.2 Overview of the Session

- E-Waste (M&H) Rules, 2011
- E-waste (Management) Rules 2016
- Definitions in the Rules
- Responsibilities of the different stakeholders
- Compliance Procedures and Challenges of Implementing the Rules

Policies for e-waste management applicable in our country

The following policies and regulations are applicable to the management of e-waste.

The National Environmental Policy 2006

- The Environment (Protection) Act 1986
- The Hazardous Wastes (Management and Handling) Rules 1989 (amended in 2003 & 2008)
- The E-Waste (Management & Handling) Rules, 2011 (amended in 2016), renamed E-waste (Management) Rules, 2016. They have been notified under the Environment (P) Act, 1986

The E-waste (Management & Handling) Rules were notified in May 2011 and became effective from May 2012 by Indian Ministry of Environment and Forests 2011with the objective to put in place an effective mechanism to regulate the generation, collection, storage, transport, import, export, environmentally sound recycling, treatment and disposal of the e-waste.

The rules focus the mandatory provisions to introduce an Extended Producer Responsibility (EPR) system and a collection and recycling system and to manage the reduction of the hazardous substances (RoHS). In order to further strengthening, E-waste (Management) Rules 2016, thus the supersession rules lay the primary responsibility of e-waste management on the producers. The amendment on E-waste (Management and Handling) Rules 2011 was done with the consultation of all stakeholders in the value chain and amended rules E-waste (Management), 2016 was notified on 23rd May, 2016. The present Rule also lists down the responsibility of other important stake-holders in the e-waste value chain. The legislation was primarily introduced to tackle the increasing issues of E-waste as well as to facilitate safe disposal, channelization and environmentally sound recycling of e-waste.

In order to extend major responsibility of e-waste management on the producers of the electrical and electronic equipment, the new E-waste Rules mandates collection targets for the producers. Many countries are already following target based approach for implementation of EPR. For example, Japan has recycling rate 50% to 60%, South Korea maintains recycling rate of 55% to 70%, whereas UK follows the recycling and recovery rate as 50% to 80% and Netherlands has recycling rates 45% to 75%. Though, the minimum target internationally ranges been 45-55%, India has however targeted phase wise approach in order to gain experience. India has defined 30% of the quantity of waste generation as indicated in EPR Plan during first two year of implementation of rules followed by 40% during third and fourth years, 50% during fifth and sixth years and 70% during seventh year onwards. The qualities could be either in number or weight. Collection is now exclusively Producer's responsibility, which can set up collection centre or point or even can arrange buy back mechanism for such collection. No separate authorization for such collection will be required, which will be indicated in the EPR Plan of Producers.

The new rules describe many flexibilities provision for producers for effective implementation of the rules. These flexibilities include option for setting up of Producer Responsibility Organization (PRO), e-waste exchange, e-retailer, Deposit Refund Scheme (DRF) etc. The rules also simplified the EPR authorization for better implementation of the rule, single EPR Authorization for Producers is now being made CPCB's responsibility to ensure pan India implementation.

Rules, 2016 also extended to components, consumables, spares and parts of EEE in addition to equipment as listed in Schedule I as well as Compact Fluorescent Lamp (CFL) and other mercury containing lamp brought under the purview of rules.

The main objective of the rule is to put in place an effective mechanism to regulate the generation, collection, storage, transport, import, export, environmentally sound recycling,

treatment and disposal of the e-waste. The mandatory provisions of the Rules are to introduce an Extended Producer Responsibility (EPR) system and a collection system, to organize the authorisation of dismantlers and recyclers and to oversee the reduction of the hazardous substances (RoHS).

Annexure: E-waste (Management) Rules, 2016

4.2. Building blocks of a policy on e-waste disposal

Building blocks of a policy on e-waste requires identification of responsibilities of each of the stakeholders involved in the value change from manufacturing of EEE to its safe recycling. Some instruments that serve as building blocks include:

Extended Producer Responsibility' means responsibility of any producer of electrical or electronic equipment, for channelisation of e-waste to ensure environmentally sound management of such waste. Extended Producer Responsibility may comprise of implementing take back system or setting up of collection centres or both and having agreed arrangements with authorised dismantler or recycler either individually or collectively through a Producer Responsibility Organisation recognised by producer or producers in their Extended Producer Responsibility - Authorisation;

e-waste exchange' means an independent market instrument offering assistance or independent electronic systems offering services for sale and purchase of e-waste generated from end-of-life electrical and electronic equipment between agencies or organisations authorised under these rules;

'Extended Producer Responsibility Plan' means a plan submitted by a producer to Central Pollution Control Board, at the time of applying for Extended Producer Responsibility - Authorisation in which a producer shall provide details of e-waste channelisation system for targeted collection including detail of Producer Responsibility Organisation and e-waste exchange, if applicable;

'Producer Responsibility Organisation' means a professional organisation authorised or financed collectively or individually by producers, which can take the responsibility for collection and channelisation of e-waste generated from the 'end-of-life' of their products to ensure environmentally sound management of such e-waste;

4.2.1 How and where can you get information on the locally available collection, dismantling and recycling services for e-waste?

All manufacturers, producers and dealers should provide information about locally available collection, dismantling and recycling services through their web platforms, outlets. The information should also be available at the SPCB web platforms. Regular awareness

campaigns and advertisements should be organized for providing information about locally available collection, dismantling and recycling services.

4.2.2 What questions should you ask the manufacturers when you do bulk procurement of electrical and electronic goods? What conditions can you introduce in your tender specification to enable easy disposal of e-waste?

The questions that can be asked from the manufacturers and conditions that can be introduced in tender are:

- Ask whether 'Extended Producer Responsibility Authorisation' is available with the manufacturer. It means a permission given by Central Pollution Control Board to a producer, for managing Extended Producer Responsibility with implementation plans and targets outlined in such authorisation including detail of Producer Responsibility Organisation and e-waste exchange, if applicable. This can be a mandatory condition in tender.
- 2. Ask if manufacturer has submitted the 'Extended Producer Responsibility Plan' means a plan submitted by a producer to Central Pollution Control Board, at the time of applying for Extended Producer Responsibility Authorisation in which a producer shall provide details of e-waste channelisation system for targeted collection including detail of Producer Responsibility Organisation and e-waste exchange, if applicable. This can be a mandatory condition in tender.
- 3. Ask if manufacturer has 'facility' or any location wherein the process incidental to the collection, reception, storage, segregation, refurbishing, dismantling, recycling, treatment and disposal of e-waste are carried out. This can be a mandatory condition in tender.
- 4. Ask if the manufacturer has set up 'deposit refund scheme' means a scheme whereby the producer charges an additional amount as a deposit at the time of sale of the electrical and electronic equipment and returns it to the consumer along with interest when the end-of life electrical and electronic equipment is returned. This can be a mandatory condition in tender.
- 5. Ask regarding tie up with dismantlers and recyclers. This can be a mandatory condition in tender.

4.2.3 What questions should you ask the e-waste collector/ dismantler/ recycler when you dispose of your e-waste?

The following questions can be asked from the e-waste collector/ dismantler/ recycler:

1. Does the organization or individual has authorization from the CPCB or SPCB for collecting, dismanting or recycling the e-waste.

2. Does it has safe working conditions, tools and equipment to ensure safe treatment and disposal of e-waste.

4.2.4 How can you engage your employees in such an awareness and collection drive and what are the additional interesting concepts that can be used to introduce the idea of depositing e-waste for recycling?

By providing a short presentation on the harmful effects of e-waste on environment and its social and economic dimensions it should be possible to motivate employees for participating in collection and awareness drive. Information leaflets, emails with links to more information about e-waste management can be shared with employees to increase their engagement.

4.2.5 How can you organize a collection drive for e-waste in your organization? Which agencies can support you in organizing such a collection and awareness drive? How to set up a collection centre?

A collection drive for e-waste can be organized by contacting manufacturer or dealers who would then refer to the authorized collector, dismantler and recycler of e-waste. A record of each item collected in the drive should be maintained and provided to the collector, dismantler and recycler. The local pollution control board officer can be informed about the drive and the e-waste collected during the drive so that they can audit if safe recycling of the collected e-waste has been conducted.

All manufacturers, dealers and government's environment department could support collection and awareness drive. In addition national, international and local environmental NGOs can be partners for such a drive.

4.2.6 Setting up a collection center for e-waste

As per the e-waste management and handling rules to set up a collection center there is a need to apply for authorization from the State Pollution Control Board or Pollution Control Committee as per FORM – 1(a). There is a need to have agreements with producers who are willing to get the e-waste covered under their EPR collected at your center as well as with dismantlers and recyclers who will be taking the e-waste from the collection center for

further processing. It should be ensured that systems for record keeping and training for safe handling and storage of e-waste is provided to the people who will be managing the collection center.

Responsibilities of Collection Centers include:

- (1) Ensure that the facilities are in accordance with the standards or guidelines prescribed by the Central Pollution Control Board from time to time;
- (2) The e-waste collected by them is stored in a secured manner till it is sent to registered dismantler or recycler as the case may be;
- (3) Ensure that no damage is caused to the environment during storage and transportation of e-waste;
- (4) Maintain records of the e-waste handled in Form 2 and make such records available for scrutiny by the State Pollution Control Board or the Pollution Control Committee concerned.

4.3 Challenges of Implementing the Rules

The following challenges exist for the implementation of the Rules:

Uncertain Financial Mechanism: The Rules have included the provision of Extended Producer Responsibility to encourage take back system for electronics but its implementation mechanism is not certain. The current rules do not specify any charge inbuilt in the product in form of any visible or invisible fee to get back the products for recycling.

Capacity Building of regulatory authorities: Another significant issue that the Rules deals with is the management and disposal of historical products (products present in the market prior to the enforcement of rules) and orphan products (non-branded or assembled). The non-branded/ assembled products or products from the grey market are cheaper, used on a large scale and comprise a large proportion in the waste stream. The Rules have designated Urban Local Bodies (ULBs) with the responsibility to collect and channelize the orphan products to the authorized collection centres, dismantlers or recyclers. It is clear from the Rules that regulatory bodies have been allotted several responsibilities right from authorization and registration to monitoring and implementation of the law. However the regulatory bodies of a large number of states/UTs lack capacity and are also overburdened with other responsibilities. The urban local bodies or municipalities suffer from lack of manpower, expertise and resources. Rules should mention that the agencies, organizations having expertise can be engaged in streamlining the entire e-waste management process. The Public Private Partnership (PPP) model which is currently practiced for Municipal solid waste management, hazardous waste management can also be put into practice.

The capacity building of the regulatory bodies is also very important. A thorough development of standards, benchmarks, training must be provided to the PCBs/PCCs. A significant allocation of budget should also be set aside for PCBs/PCCs for systemic implementation of the Rules. The important topics should be cover during the training of PCBs/PCCs are mentioned below:

- Setting up of Collection Systems
- Inventorization of E-waste Generation
- Promotion for development of infrastructure for recycling
- Monitoring Mechanisms for EPR and RoHS

4.3.1 Formalisation of informal activities in the sector

It should be possible to formalize the informal activities in the sector through the following steps:

- Capacity building of informal sector so that they can be part of the formal sector either as employees or as entrepreneurs involved in collection and dismantling of ewaste should be conducted.
- 2. Manual sorting and dismantling operations can be made safer with limited investment in tools and personal protective equipment so government or private sector can provide some initial support to the informal sector to set up safe collection, sorting and dismantling facilities.
- 3. Informal sector actors should be organized in form of e-waste management cooperatives and then they should be provided technical and financial support so that safe recycling of e-waste can be ensured. In New Delhi, for instance, the NGO Chintan Environmental Research and Action Group helped Safai Sena, an active organization of 12,000 members form a cooperative for e-waste recycling.

One other approach to ensure that e-waste is collected by the informal sector but in place of unsafe recycling they deposit the e-waste to formal sector following safe recycling practices involves establishing a Deposit Refund Mechanism that will take a deposit equivalent to the value that can be obtained by extracting all possible valuable components to the best possible extent. The rationale behind setting the deposit at that level is that if informal recycler is aware that even after putting extensive efforts in recycling he or she is likely to earn the same amount of money that can be obtained by depositing it at the formal recycling collection centre then it is certain that unsafe informal recycling will cease to exist. If this deposit refund mechanism is established government will only have to ensure that formal sector recyclers do not end up selling the e-waste back to the informal sector for metal and useful products extraction. Rather than regulating and tracing operations of numerous and distributed informal recyclers an appropriately priced deposit refund mechanism will require monitoring the operations of formal recyclers only.

4.3.2 Developing an action plan to implement improvement measures

- 1. Identify informal sector actors, gain their confidence by providing them formal status as cooperative and remove any past charges of illegal recycling.
- 2. Inform them about the harmful impacts of unsafe recycling.

E-Waste Awareness For Government Officials

- 3. Provide them identity proofs for collection of e-waste and link them to collection centres or to recyclers who will buy e-waste from them as sorted or dismantled which could be done safely with limited investment.
- 4. Provide them training and tools to conduct safe sorting and dismantling.

Establish a Deposit Refund Mechanism that provides informal sector same money that they would have earned by unsafe recycling for just collecting or sorting and dismantling the electronic or electrical equipment.

5. E-waste Value Chain

5.1 Introduction to the Session

The session on the E-Waste value chain provides the participants about the stages of the e-waste and its life cycle and E-waste trading through various stakeholders in the value chain.

5.1.1 Objectives of the Session

At the end of this session the participants should:

- Know about the lifecycle of E-waste
- Know about E-waste trading through various stakeholders
- Know about E-waste flow in India


5.1.2 Overview of the Session

- E-Waste Flow and lifecycle
- E-waste trade value chain

The E-waste value chain can be divided into following broad stages:

- Generation
- Stockpiling and Collection
- Handling and Brokering
- Processing

The life cycle of the product can be defined below:



Source: WEEE Recycle-CSE Manual on E-waste management

5.2 E-waste Trade value Chain:

As shown in the fig.... Major stakeholders of trade value chain are:

- Producers/ Manufactures
- Bulk Generators
- Individual Consumers
- Importers
- · Recyclers both formal and informal recyclers




Figure 4: Major stakeholders of trade value chain

It has been experienced that in developed countries, average life cycle of electrical and electronic equipment is generally equivalent to "Active Life", while in developing countries, it is a sum of active life, passive life and storage. Therefore, in developing countries, a second hand market exists for WEEE/ E-waste after its active life. All the three parameters vary in different geographical regions. Therefore, average life cycle/ obsolescence rate varies in each geographical region and leads to different WEEE/ E-waste inventory.




Figure 5: E-waste Flow within India (Skinner, Lloyd, Dinter & Strothmann, 2010)

The trade value chain describes unit operations/processes/ activities carried out by different stakeholders in a geographical region. In developed countries, where WEEE/ E-waste management system is in operation, the entire trade value chain occurs in organized/ formal sector. In developing countries, a part of the trade occurs in unorganized/ informal sector. An example of generic E-waste trade value chain based on Material Flow Analysis in a developing country is shown in the figure below (UNEP 2007b). In majority of developing countries, the informal sector engagement starts from the point of collection and continues till the last stage in some capacity. However, other steps/unit operations like E-waste processing, production/ end products may be present or absent in a country.




Figure 6: E-waste trade value chain based on Material Flow Analysis

5.2 Exercise: E-Waste Quiz

At the end of the first day, participants are asked to take a short quiz on e-waste. The quiz brings up several of the issues that have been presented in the previous sessions. There are three sets of supporting document for the quiz:

- A questionnaire containing the 15 questions
- An answer sheet with the correct answers
- A presentation with the answers; the presentations also allows you to present the results of quiz
- The questionnaire and answer sheets can be found in the annexure.

6. Site visit to e-waste recycling plant/ clusters of e-waste recycling

6.1 Introduction

Site visit will provide the practical knowledge about the e-waste recycling facility and as a regulator the important aspects to be noticed while monitoring the facility. The FAQ will help to the participants about the various points as a checklist. The visit will also help them to get knowledge whether the facility is complying with the rules, 2016.

6.1.1 Objectives of the Session

At the end of the visit, participants should be aware about:

- Basic understanding of e-waste recycling and the flow of the material
- Checklist while monitoring of recycling facility
- Flow of the recycled materials
- Occupation, Health and Safety requirement for workers

6.1.2 Overview of the Session

- Visit to recycling facility
- Monitoring
- Practical knowledge about recycling of e-waste and material flow

6.2 FAQ for Field Visit- Recycling Facility

Logistic

- What kind of e-waste is accepted in your facility?
 Consumer electronics/ IT & Electronics/ Any specifics item/s
- Do you pay for old equipment, which you receive from consumers?
- Do you have list of the rates of e-waste?
- How do you evaluate the cost of e-waste product?
- What is the logistic arrangement to pick up e-waste from consumers?
- Is there any collection event for consumers?

- Do you provide any certificate to the consumer for pick-ups?
- Do you have inventory log in your facility?
- How do you maintain the record of collected / handled and channelized e-waste?
- Do you have any record of collected/ handled and channelized e-waste during the inspection from CPCB/SPCB
- Do your recycling facility is linked with any producer/s?
- Do you have authorisation from SPCB/ Producer/s?
- How do you apply to bid for collection of E-waste from any organisation/agency?

Technical:

- What is the storage and treatment capacity of your facility?
- Do you have any facility of data destruction?
- Is there any facility for the treatment of CFL/ Tube light and other lighting equipments?
- What is the treatment option for Mercury, released from CFL and other lighting equipments?
- What happens to the batteries of e-waste? Is there any treatment option for this?
- What are the equipments in your facility for recycling the product?
- Do you send the product to other facility for tertiary treatment to recover the precious metals?
- What is the treatment option during the leakage of gas and other fluids while processing of the product?
- What happens with the recovery of the metals and other materials?

OHS

- What occupation, Health and Safety procedures do you follow for your workers?
- Do you have First Aid room/ kit for First aid treatment if any accident occurs during the process of e-waste?
- Is there proper sanitation and drinking water facility for workers?
- Is there any health insurance policy for workers?

Training

- Is there any training programme to be conducted for workers of the facility?
- If Yes! What are the topics of training programme for workers?
- What is the timeframe of training programme for workers?
- Is there any exposure visit (National/ international) to be provided to the workers?
- What is the business plan and sustainability to run your facility?
- Do you have IEC material (Posters, pictures, and videos) for better understanding of dismantling, recycling and health aspects?

Day 3

7. Compliance Mechanisms on E-Waste

7.1 Introduction

In this session, the trainers will be introduced about compliance procedure for each stakeholder. The participants will be aware about the authorisation procedure for producers, manufacturers and refurbishers.

7.1.1 Objectives of the Session

The objective of the session will be in the form of outcomes of the participants, which are followings:

- To know about compliance procedure for each stakeholder.
- To understand about the authorisation procedure for producers, manufacturers and refurbishers
- To get knowledge about e-waste storage provision


7.1.2 Overview of This Session

- Authorisation procedure
- E-waste storage provision

7.2 Authorization Procedure


Authorisation procedure is provided in following table

Stakeholder	Authorisation	Form	Issuing Authority
Producer	EPR authorisation	Form-1	СРСВ
Manufacturer	Authorisation	Form- 1 (a)	SPSB
Dismantler/ Recycler	Authorisation/ Renewal	Form- 4	SPSB
Refurbisher	Authorisation/ Renewal	Form- 1 (a)	SPCB



Compliance Monitoring Authority of E-waste Management

As per E-waste Management Rules, 2016, single EPR Authorization for Producers is now being made CPCB's responsibility to ensure pan India implementation. CPCB needs to inform each SPCB regarding the authorisation of producers' for effective implementation and monitoring.



7.2.1 Procedure for seeking authorisation (Producer)

Every Producer listed in schedule 1, shall obtain an authorisation from CPCB.

Application in Form 1 for authorisation should be submitted within a period of 3 months starting from the date of commencement of the rule

The Central Pollution Control Board will carry out evaluation of the Extended Producer Responsibility Plan and on being satisfied that the producer has detailed out an effective system to manage Extended Producer Responsibility in the country, shall grant Extended Producer Responsibility - Authorisation, in Form 1(aa) within a period of one hundred and twenty days. The Extended Producer Responsibility - Authorisation shall be valid for a period of five years.

7.2.2 Procedure for seeking authorisation (Manufacturer)

The manufacturer shall obtain an authorisation from the concerned State Pollution Control Board.

Application in Form 1 (a) for authorisation should be submitted within a period of 3 months starting from the date of commencement of the rule

the concerned State Pollution Control Board may after being satisfaction that the applicant possesses appropriate facilities, technical capabilities and equipment to handle e-waste safely, will grant an authorisation in Form 1(bb) within a period of one hundred and twenty days to the applicant to carry out safe operations in the authorised place only, which shall be valid for a period of five years.

7.2.3 Procedure for seeking authorisation (Refurbisher)

The refurbisher shall obtain an authorisation from the concerned State Pollution Control Board.

Application in Form 1 (a) for authorisation should be submitted within a period of 3 months starting from the date of commencement of the rule

the concerned State Pollution Control Board, on being satisfied that the application is complete in all respects and complies with the guidelines prescribed by Central Pollution Control Board from time to time, may grant one time authorisation in Form 1 (bb) within a period of one hundred and twenty days to the applicant to carry out safe operations in the authorised place only, which shall be valid for a period of five years.

7.2.4 Waste storage provisions

E-waste cannot be stored for a period more than 180 days

7.2.5 Waste transportation provisions

Transportation of e-waste, being sent for dismantling or recycling to a facility in a State other than the State, where it is generated or collected, does not require 'No objection certificate' from the SPCBs/PCCs concerned. However, Transporter of the e-waste is required to give prior intimation to the SPCBs/PCCs concerned i.e. the States in which the e-waste is generated, transited and being sent for the purpose of recycling or dismantling.

Developing an Personal Action Plan

8.1 Introduction to the Session

Many topics have been touched on in this training which is of great relevance to regulators. However, in the end it comes down to the actions actually taken by the participants. It is the goal of this last part of the training course that the participants use the training experience to develop an action plan which they can take back home and use for starting actions on the implementation of the Rules. Therefore, an introductory part exposes the participants to the general concept of planning and the development of an action plan. The far more important part is the exercise in the end in which small groups concentrate on the specifications to be taken by the participating SPCBs/PCCs/ ULBs/ Others for fulfilling their duties regarding the implementation of the Rules.

8.1.1 Objectives of the Session

- At the end of this session the participants should be able to:
- Understand the general approach to a planning process
- Know how to develop an action plan
- Know which actions they are going to take next for the implementation of the Rules

8.1.2 Overview of the Session

- Approach to Planning
- Taking Stock
- Formulating Goals
- Developing an Action Plan
- Exercise: Developing an Action Plan
- Training Evaluation
- The following sections contain the actual training contents.

8.2 Approaches to Planning

The first slide shows a very general planning cycle:



Figure 7: General planning cycle

In planning situation, one starts at the "Now / status quo". From there on you ask yourself where you would like to be in the future. You define a success vision and engage in the task of developing a strategic plan. The details of this plan point out what you will do for achieving your goal. This very simple approach can be applied to the implementation of the E-Waste Management & Handling Rules 2011. The participants assess where they stand now, what their goal is, and how they can get there.

The next slide gives some more details on the planning process:



Figure 8: Planning Process

In this depiction, also the part of implementation is included. Once you have decided on a strategy, you need to implement it and then monitor whether you achieve the expected results. This is a continuous process that never stops.

The Plan-Do-Check-Act approach is a general 4-step process which helps you to ensure continuous monitoring and improvement of you action plan.




Figure 9: The Plan-Do-Check-Act approach

First, the action to be taken is planned. This is where this session, "Developing an Action Plan", comes in. Second, the action plan is implemented. Third, results are monitored. And fourth, based on the monitoring, corrective actions are taken to improve the process.

8.3 Taking Stock

In this part, you ask the participants what the current status of the implementation of the Rules is.

The answers of the participants can be written on a white- or note-board and kept in mind for the development of the action plan later on.

8.4 Formulating Goals

As a next step, the participants should formulate goals on

- Where the regulators have to go as per the specifications of the Rules, and
- Where regulators want to go as per their general mandate

The answers of the participants can be written on a white- or note-board and kept in mind for the development of the action plan later on.

8.5 Developing an Action Plan

For developing an action plan the following questions need to be answered for each action:

- What needs to be done?
- Who will implement it?
- When will it be implemented?
- Which resources are required for the implementation?

WHAT

For deciding on the WHAT the participants need to consider several fields relevant for the implementation of the Rules where action is required. Possible fields are:

Awareness

- Registration
- Reporting
- O&HS
- Inventorization

Of course, additional fields can be relevant as well.

Once these fields or **target areas** have been defined, specific **targets** with suitable **indicators** need to be defined. Then, **measures** or actions for achieving these goals need to be developed.

WHO

Subsequently, it needs to be defined for each measure who will be the responsible actor for the implementation. Additionally, it needs to be assessed which will be additional stakeholders that are relevant for the implementation of the measure, however, not directly responsible.

RESOURCES

For each measure it also needs to be assessed whether there are any resources needed for the different tasks? Then, the requirements regarding manpower, expertise, funding, equipment, etc need to be listed. As a fi nal step the participants need to come up with suggestions on how to obtain the necessary resources.

WHEN

For each measure a deadline for the implementation needs to be established. All measures can then be grouped in a Gantt chart or on a timeline for a better visualization of the action plan.

The example of an action plan could look like this:

Action Field	Target	Indicator	Measure	Who?	Resources
Reporting	Send reports in due time	Date of report submitted	Develop a planning process for writing the annual report	SPCB staff	-
Registration	Visit 30 % of the units applying for registration	Number of visits / number of applications	Develop a system for selecting companies to be visited	SPCB staff	Testing equipment
Awareness	Conduct 12 awareness events per year	Number of awareness events	Partner with local groups to implement the events	SPCB staff; local groups	Information materials

Table 11: Action Plan

8.6 Exercise: Developing an Action Plan

The following instructions are given on the action plan worksheet:

Task:

- Split up in groups of five
- Discuss with your group members the current situation regarding the implementation of the E-Waste (Management) Rules
- In the next step you will develop an Action Plan for the effective implementation of the E-Waste (Management) Rules by the SPCB
- Fill in the Action Plan Template
- Write the main parts of the Action Plan on maximum two large sheets of paper
- Present your Action Plan to the group

Details:

 You should state in which fields of e-waste management you want to / have to take action

- For each of these fields, formulate targets you want to / have to achieve
- For each target, specify indicators which you can use to measure whether the target has been achieved
- For each target, provide one / several measure(s) on how to achieve it
- For each measure, specify who will be responsible within the SPCB for implementation and which other stakeholders need to be involved
- Also specify for each measure, which resources will be required
- Finally, think about a timeline for implementing the action plan. Prioritize the measures, think about dependencies between them and be realistic

Materials required:

- Two large sheets of paper per group
- Different colored markers for each group
- Different colored note cards for each group

Trainer's note

- The groups have about 100 minutes for developing the action plan
- The presentation of the action plan should last max. 10 min
- Plan some time for a final discussion at the end of the session

8.7 Training Evaluation

In the evaluation of the training you can use a written training evaluation sheet which is provided to you in the annex. The participants are asked to fill out the sheet and hand it back to you.

Besides this quantitative evaluation you should also facilitate a discussion about training in which each of the participants can voice his or her impressions on the training. As materials for this discussion you can use:

- The participants' expectations on the training which you have collected in the beginning of the training; you can now ask the participants whether these expectations have been fulfilled or not
- The challenges faced by the participants in implementing the Rules; these had also been collected on a flipchart; you can now ask the participants whether they feel better prepared to tackle these challenges

Trainer's note

You should have enough time at the end of the final to evaluate the training and have a final discussion with the participants. Plan with a minimum of 45 min for the evaluation and final discussion.

9. Activities by Participants

Activity 1:

E-waste effective training programme

Objective: Participants to deliver training sessions on: The idea is to involve the participants for delivering the session so that they could get hands-on experience in imparting training sessions.

Group work (Four groups – Informal sector, Bulk/individual consumers, regulators, multi stakeholders)

Methodology:

- Presentation
- Inputs from Expert
- Open discussion

Each group will draw a flow of training programme for below mentioned stakeholders. Each group will give the presentation and experts will provide the inputs to improve the same

Suggested Topics:

- Basics of E-waste including material flow (Informal Sector, Bulk Consumer)
- How can e-waste damage the environment and human health? (Informal Sector, regulators)

Activity 2: E-waste Category:

Objective: Participants will chalk out the list of e-waste category according to WEEE directives and E-Waste (Management) Rules, 2016 so that they will get the knowledge about the products come under the category of e-waste.

Ask the participants what they think e-waste is comprised of.

As a solution, the WEEE Directive's definition of EEE is presented from which e-waste is generated as well as the definition from the E-Waste (Management) Rules, 2016

Methodology:

Individual participants will write the e-waste product/ products in the given zop cards then the card will be pasted on the board. The trainers will readout all the cards and if there is missing any product name will fill the same.

Activity 3: Challenges in Implementation of the Rules

Objective: Participants will discuss about the challenges they have faced in implementation of the rules

Methodology:

Collect the challenges with the participants name on a pin-board and address them in the sessions to come. Go through these challenges at the end of the training and discuss with the participants whether they now have a better idea on how to tackle these challenges.

Activity 4: Role play- Clarity on Roles & Responsibilities of producers and regulators

Objective of the session: Clarity of roles and responsibilities of producers and regulators

Method: (Role Play - Experiential learning): Presentation, clarification and preparation of role play.

Roles: Producer and Regulator

Situation: Joint Secretary and Director, MoEF, E-waste Division convey a meeting on E-waste Rules to see steps taken by producers on compliance to the rules

Participants: Four volunteers as producers and four volunteers as regulators. The rest are observers.

Role given to Producers:

Participant 1- You are a CEO of Brand X (Largest Mobile Brand in USA); you have to portray that you are ready to comply but due to lack of information in submitted application, the Indian regulators' do not consider your authorization application. Your application is lying in MoEF since last nine months.

Participant 2- You are a Sustainability Manager, Brand Y (Biggest TV selling company); you are not sure about the reporting procedures under the E-waste Rules.

Participant 3- You are Government Relations in-charge of Brand Z; you have to portray that your company is not generating much E-waste in India and the production plant doesn't exist in India. Therefore you will only comply with the world wide policies

Participant 4- You are the Director, Sustainability and Government Policy of a brand. You have to inform in the meeting about the awareness campaigns conducted by your brand and responsibilities undertaken by you even before the Rules were notified.

Role given to Regulators:

Participant 1- You are the Director, E-waste Division, MoEF. You have to portray that you are completely frustrated because brands are not complying even after a notification period of one year.

Participant 2- You are the Joint Secretary, MoEF. You have to portray those global brands/ companies should know about the extended producer responsibility and its implementation mechanism in India.

Participant 3- You are Divisional In-charge, SPCB. You have to portray that you have made a call to the Toll Free number of Brand Y and collection centre (which claims to have huge IEC campaigns) but their response is not good.

Participant 4- You are a Senior Environment Engineer, CPCB. You have to portray that you have received the authorization application of Brand X. You have not approved the application because you wish them to mention their collection and recycling mechanism.

Scenario

The Joint Secretary initiates the meeting and all the brands have to update on their action taken during the last one year. After a brief round by all the four producer volunteers, the Joint Secretary asks for inputs from the regulators. After this step, the discussion is to be moderated to encourage continuous dialogue between the groups.

10. References

Agarwal, Ravi 2012: *E-Waste Law: New Paradigm or Business as Usual?* Economic & Political Weekly, 23 June 2012, Vol. XLVII, No. 25. http://www.environmentportal.in/files/file/E%20Waste%20Law.pdf

Caffarey, Marc 2012. Umicore Precious Metals Refining.

http://www.serdc.org/Resources/Documents/Summit%20Presentations/SERDC%20Summit%20Presentation%20-%20Mark%20Caffarey.pdf

Chatterjee, Dr. S. 2011: *Electronic Waste and India*. New Delhi: Department of Information Technology.

http://deity.gov.in/sites/upload files/dit/files/EWaste Sep11 892011.pdf

Esther Kristensen, Bryn Lindblad & Jonas Mortensen 2011: The WEEE Directive and Extended Producer Responsibility – Lost in Transposition. Roskilde University, ENSPAC TekSam.

EU 2002: Directive 2002/96/EC on waste electrical and electronic equipment. 27 January 2003.

http://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=OJ:L:2003:037:0024:0038:en:PDF

Greenpeace 2012: *WIPRO – 1st position, 7.1/10.* Guide to Greener Electronics 18, Greenpeace Magazine / November 2012.

http://www.greenpeace.org/new-zealand/en/Guide-to-Greener-Electronics/18th-Edition/WIPRO/

Gupta Reena, Sangita and Kaur Verinder 2011: *Electronic Waste:* A Case Study. Research Journal of Chemical Sciences, Vol. 1(9), 49-56, Dec. (2011). http://www.isca.in/rjcs/Archives/vol1/i9/09.ISCA-RJCS-2011-198.pdf

Huisman, Jaco, Federico Magalini, Ruediger Kuehr, Claudia Maurer, Steve Ogilvie, Jim Poll, Clara Delgado Eniko Artim, Josef Szlezak and Ab Stevels 2007: 2008 Review of Directive 2002/96 on Waste Electrical and Electronic Equipment (WEEE). Report prepared by United Nations University, AEA Technology, Gaiker, Regional Environmental Centre for Central and Eastern Europe and Delft University of Technology.

http://ec.europa.eu/environment/waste/weee/pdf/fi nal rep unu.pdf

Indian Central Pollution Control Board 2008: *Guidelines for Environmentally Sound Management of E-Waste*. New Delhi.

http://www.cpcb.nic.in/latest/27.06.08%20guidelines%20for%20E-Waste.pdf

Indian Central Pollution Control Board 2011: Implementation of E-Waste Rules 2011 - Guidelines. New Delhi.

http://cpcb.nic.in/upload/Latest/Latest 71 ImplementationOfE-WasteRules.pdf

MAIT-GTZ 2007: *E-waste Inventorisation in India,* MAIT-GTZ study. Cambodian Ministry of Environment 2009. *WEEE/E-waste Management Report.* Phnom Penh

Municipality, Kingdom of Cambodia. Report prepared by the Ministry of Environment (MoE) and supported by UNEP-DTIE.

http://www.unep.or.jp/ietc/spc/activities/e-waste/2 WEEE Ewaste MngtRprt.pdf

Indian Ministry of Environment and Forests 2016. *E-waste (Management) Rules 2016.* New Delhi, 23 March 2016.

http://www.moef.gov.in/sites/default/files/EWM%20Rules%202016%20english%2023.03.2016.pdf

Karnataka State Pollution Control Board: Awareness Programmes conducted by KSPCB.

http://kspcb.gov.in/aw prg.html

Meskers, Christina E.M. & Christian Hagelüken 2009: The impact of different preprocessing routes on the metal recovery from PCs.

http://www.preciousmetals.umicore.com/PMR/Media/escrap/download_impactOfDifferentPre_processing.pdf

Nischalke, Sarah Marie 2008: Sustainable E-Waste Legislation and Social Responsibility in India:Opportunities and Limitations. Master's Thesis submitted to Albert-Ludwigs-Universität Freiburg i.Br.Germany) and the University of KwaZulu-Natal, Durban (South Africa).

http://s3.amazonaws.com/zanran_storage/www.ieewaste.org/ContentPages/2490750583.pdf

OECD 2001: Extended Producer Responsibility - A Guidance Manual for Governments. http://www.ertc.deqp.go.th/ertc/images/stories/user/ct/ct1/cp/cp_program_management/OEC D%20Extended%20Producer%20Responsibility.pdf

Puckett, Jim, Leslie Byster, Sarah Westervelt, Richard Gutierrez, Sheila Davis, Asma Hussain and Madhumitta Dutta 2002: *Exporting Harm - The High-Tech Trashing of Asia*. Report prepared by the Basel Action Network and Silicon Valley Toxics Coalition. http://www.ban.org/E-waste/technotrashfi nalcomp.pdf

Rajya Sabha Secretariat 2011: *E-waste in India*. New Delhi. http://rajyasabha.nic.in/rsnew/publication_electronic/E-Waste_in_india.pdf

Rossem, Chris van, Naoko Tojo and Thomas Lindhqvist 2006: *Extended Producer Responsibility: An Examination of its impact on innovation and greening products*. Greenpeace International, Friends of the Earth Europe and the European Environmental Bureau.

http://www.greenpeace.org/international/PageFiles/24472/epr.pdf

Schluep, Mathias, Christian Hagelueken, Ruediger Kuehr, Federico Magalini, Claudia Maurer, Christina Meskers, Esther Mueller and Feng Wang 2009: *Recycling – From E-Waste to Resources*. Berlin: UNEP.

http://www.unep.org/PDF/PressReleases/E-Waste publication screen FINALVERSION-sml.pdf

Sinha Khetriwal, Deepali, Philipp Kraeuchi and Rolf Widmer 2007: *Producer responsibility* for e-waste management: Key issues for consideration - Learning from the Swiss

experience. Journal of Environmental Management, Volume 90, Issue 1, January 2009, Pages 153–165. Step Initiative (n.d.): *What is e-waste?*

http://www.step-initiative.org/index.php/Initiative WhatIsEwaste.html

Swedish Environmental Protection Agency 2011: *Recycling and disposal of electronic waste – Health hazards and environmental impacts.* Report 6417, March 2011. http://www.naturvardsverket.se/Documents/publikationer6400/978-91-620-6417-4.pdf

The Hindu 2009: A wareness campaign on plastic pollution launched in Tirunelveli. 27 October 2009.

Annexure- 1

E-waste (Management) Rules, 2016

http://www.thehindu.com/todays-paper/tp-national/tp-tamilnadu/awareness-campaign-on-plastic-pollutionlaunched-in-tirunelveli/article169967.ece

UNEP 2007a: *E-waste - Volume I: Inventory Assessment Manual.* Division of Technology, Industry and Economics International Environmental Technology Centre.Osaka/Shiga.

http://www.unep.or.jp/ietc/Publications/spc/EWasteManual Vol1.pdf

UNEP 2007b: *E-waste - Volume II: E-waste Management Manual.* Division of Technology, Industry and Economics International Environmental Technology Centre.Osaka/Shiga.

http://www.unep.or.jp/ietc/publications/spc/ewastemanual_vol2.pdf

West Bengal Pollution Control Board 2011: Restriction on Use of Plastic Carry Bags in West Bengal.

http://www.wbpcb.gov.in/html/pressrelease/plastic.shtml

E-waste (Management) Rules, 2016

[PUBLISHED IN THE GAZETTE OF INDIA, EXTRAORDINARY PART-II, SECTION-3, SUB-SECTION (i)]

GOVERNMENT OF INDIA MINISTRY OF ENVIRONMENT, FOREST AND CLIMATE CHANGE

NOTIFICATION

New Delhi, the 23rd March, 2016

G.S.R 338(E). - Whereas the draft rules, namely the e-waste (Management) Rules, 2015, were published by the Government of India in the Ministry of Environment, Forest and Climate Change *vide* number G.S.R. 472(E), dated the 10th June, 2015 in the Gazette of India, Extraordinary Part II, section 3, sub-section (ii) inviting objections and suggestions from all persons likely to be affected thereby, before the expiry of the period of sixty days from the date on which copies of the Gazette containing the said notification were made available to the public;

AND WHEREAS the copies of the Gazette containing the said notification were made available to the public on the 10th day of June, 2015;

AND WHEREAS the objections and suggestions received within the specified period from the public in respect of the said draft rules have been duly considered by the Central Government:

NOW, THEREFORE, in exercise of the powers conferred by sections 6, 8 and 25 of the Environment (Protection) Act, 1986 (29 of 1986), and in supersession of the e-waste (Management and Handling) Rules, 2011, published in the Gazette of India, section 3, sub-section (ii), *vide* number S.O. 1035(E), dated the 12th May, 2011, except as respects things done or omitted to be done before such supersession, the Central Government hereby makes the following rules, namely:-

CHAPTER I

PRELIMINARY

- 1. Short title and commencement. (1) These rules may be called the E-Waste (Management) Rules, 2016.
- (2) They shall come into force from the 1st day of October, 2016.
- 2. Application. These rules shall apply to every manufacturer, producer, consumer, bulk consumer, collection centres, dealers, e-retailer, refurbisher, dismantler and recycler involved in manufacture, sale, transfer, purchase, collection, storage and processing of e-waste or electrical and electronic equipment listed in Schedule I, including their components, consumables, parts and spares which make the product operational but shall not apply to -
 - (a) used lead acid batteries as covered under the Batteries (Management and Handling) Rules, 2001 made under the Act;
 - (b) micro enterprises as defined in the Micro, Small and Medium Enterprises Development Act, 2006 (27 of 2006); and

- (c) radio-active wastes as covered under the provisions of the Atomic Energy Act, 1962 (33 of 1962) and rules made there under.
- 3. Definitions. (1) In these rules, unless the context otherwise requires, -
 - (a) 'Act' means the Environment (Protection) Act, 1986 (29 of 1986);
 - (b) 'authorisation' means permission for generation, handling, collection, reception, storage, transportation, refurbishing, dismantling, recycling, treatment and disposal of e-waste, granted to manufacturer, dismantler, refurbisher and recycler;
 - (c) 'bulk consumer' means bulk users of electrical and electronic equipment such as Central Government or State Government Departments, public sector undertakings, banks, educational institutions, multinational organisations, international agencies, partnership and public or private companies that are registered under the Factories Act, 1948 (63 of 1948) and the Companies Act, 2013 (18 of 2013) and health care facilities which have turnover of more than one crore or have more than twenty employees;
 - (d) 'Central Pollution Control Board' means the Central Pollution Control Board constituted under sub-section (1) of section 3 of the Water (Prevention and Control of Pollution) Act, 1974 (6 of 1974);
 - (e) 'collection centre' means a centre or a collection point or both established by producer individually or as association jointly to collect e-waste for channelising the e-waste to recycler and play such role as indicated in the authorisation for Extended Producer Responsibility granted to the producer and having facilities as per the guidelines of Central Pollution Control Board, including the collection centre established by the dismantler or refurbisher or recycler which should be a part of their authorisation issued by the State Pollution Control Board where the facility exists;
 - (f) 'component' means one of the parts of a sub-assembly or assembly of which a manufactured product is made up and into which it may be resolved and includes an accessory or attachment to another component;
 - (g) 'consumables' means an item, which participates in or is required for a manufacturing process or for functioning of the electrical and electronic equipment and may or may not form part of end-product. Items, which are substantially or totally consumed during a manufacturing process, shall be deemed to be consumables;
 - (h) 'consumer' means any person using electrical and electronic equipment excluding the bulk consumers;
 - (i) 'channelisation' means to direct the path for movement of e-wastes from collection onwards to authorised dismantler or recycler. In case of fluorescent and other mercury containing lamps, where recyclers are not available, this means path for movement from collection centre to Treatment, Storage and Disposal Facility;
 - (j) 'dealer' means any individual or firm that buys or receives electrical and electronic equipment as listed in Schedule I of these rules and their components or consumables or parts or spares from producers for sale;
 - (k) 'deposit refund scheme' means a scheme whereby the producer charges an additional amount as a deposit at the time of sale of the electrical and electronic equipment and returns it to the consumer along with interest when the end-oflife electrical and electronic equipment is returned;
 - (I) 'dismantler' means any person or organisation engaged in dismantling of used electrical and electronic equipment into their components and having facilities

- as per the guidelines of Central Pollution Control Board and having authorisation from concerned State Pollution Control Board;
- (m)'disposal' means any operation which does not lead to recycling, recovery or reuse and includes physico-chemical or biological treatment, incineration and deposition in secured landfill;
- (n) 'end-of-life' of the product means the time when the product is intended to be discarded by the user:
- (o) 'environmentally sound management of e-waste' means taking all steps required to ensure that e-waste is managed in a manner which shall protect health and environment against any adverse effects, which may result from such e-waste;
- (p) 'electrical and electronic equipment' means equipment which are dependent on electric current or electro-magnetic field in order to become functional;
- (q) 'e-retailer' means an individual or company or business entity that uses an electronic network such as internet, telephone, to sell its goods;
- (r) 'e-waste' means electrical and electronic equipment, whole or in part discarded as waste by the consumer or bulk consumer as well as rejects from manufacturing, refurbishment and repair processes;
- (s) 'e-waste exchange' means an independent market instrument offering assistance or independent electronic systems offering services for sale and purchase of e-waste generated from end-of-life electrical and electronic equipment between agencies or organisations authorised under these rules;
- (t) 'Extended Producer Responsibility' means responsibility of any producer of electrical or electronic equipment, for channelisation of e-waste to ensure environmentally sound management of such waste. Extended Producer Responsibility may comprise of implementing take back system or setting up of collection centres or both and having agreed arrangements with authorised dismantler or recycler either individually or collectively through a Producer Responsibility Organisation recognised by producer or producers in their Extended Producer Responsibility - Authorisation;
- (u) 'Extended Producer Responsibility Authorisation' means a permission given by Central Pollution Control Board to a producer, for managing Extended Producer Responsibility with implementation plans and targets outlined in such authorisation including detail of Producer Responsibility Organisation and e-waste exchange, if applicable;
- (v) 'Extended Producer Responsibility Plan' means a plan submitted by a producer to Central Pollution Control Board, at the time of applying for Extended Producer Responsibility - Authorisation in which a producer shall provide details of e-waste channelisation system for targeted collection including detail of Producer Responsibility Organisation and e-waste exchange, if applicable;
- (w)'facility' means any location wherein the process incidental to the collection, reception, storage, segregation, refurbishing, dismantling, recycling, treatment and disposal of e-waste are carried out;
- (x) 'Form' means a form appended to these rules:
- (y) 'historical e-waste' means e-waste generated from electrical and electronic equipment as specified in Schedule I, which was available on the date from which these rules come into force;
- (z) 'manufacturer' means a person or an entity or a company as defined in the Companies Act, 2013 (18 of 2013) or a factory as defined in the Factories Act, 1948 (63 of 1948) or Small and Medium Enterprises as defined in Micro, Small and Medium Enterprises Development Act, 2006 (27 of 2006), which has facilities for manufacture of electrical and electronic equipment;

- (aa) 'orphaned products' means non-branded or assembled electrical and electronic equipment as specified in Schedule I or those produced by a company, which has closed its operations;
- (bb) 'part' means an element of a sub-assembly or assembly not normally useful by itself, and not amenable to further disassembly for maintenance purposes. A part may be a component, spare or an accessory;
- (cc) 'producer' means any person who, irrespective of the selling technique used such as dealer, retailer, e-retailer, etc.;
 - manufactures and offers to sell electrical and electronic equipment and their components or consumables or parts or spares under its own brand; or
 - offers to sell under its own brand, assembled electrical and electronic equipment and their components or consumables or parts or spares produced by other manufacturers or suppliers; or
 - (iii) offers to sell imported electrical and electronic equipment and their components or consumables or parts or spares;
- (dd) 'Producer Responsibility Organisation' means a professional organisation authorised or financed collectively or individually by producers, which can take the responsibility for collection and channelisation of e-waste generated from the 'end-of-life' of their products to ensure environmentally sound management of such e-waste;
- (ee) 'recycler' means any person who is engaged in recycling and reprocessing of waste electrical and electronic equipment or assemblies or their components and having facilities as elaborated in the guidelines of Central Pollution Control Board;
- (ff) 'refurbishment' means repairing of used electrical and electronic equipment as listed in Schedule I for extending its working life for its originally intended use and selling the same in the market or returning to owner;
- (gg) 'refurbisher' for the purpose of these rules, means any company or undertaking registered under the Factories Act, 1948 or the Companies Act, 1956 or both or district industries centre engaged in refurbishment of used electrical and electronic equipment;
- (hh) 'Schedule' means the Schedule appended to these rules;
- (ii) "spares" means a part or a sub-assembly or assembly for substitution which is ready to replace an identical or similar part or sub-assembly or assembly including a component or an accessory;
- (jj) 'State Government in relation to an Union territory means, the Administrator thereof appointed under article 239 of the Constitution;
- (kk) 'State Pollution Control Board' means the concerned State Pollution Control Board or the Pollution Control Committee of the Union Territories constituted under sub-section (1) of section 4 of the Water (Prevention and Control of Pollution) Act, 1974 (6 of 1974);
- (II) 'target' means the quantity of e-waste to be collected by the producer in fulfilment of Extended Producer Responsibility;
- (mm) 'transporter' means a person or company or entity engaged in the off-site transportation of e-waste by air, rail, road or water carrying a manifest system issued by the person or company or entity who has handed over the e-waste to the transporter, giving the origin, destination and quantity of the e-waste being transported;
- (2) Words and expressions used in these rules and not defined but defined in the Act shall have the meanings respectively assigned to them in the Act.

CHAPTER II

RESPONSIBILITIES

- Responsibilities of the manufacturer. (1) collect e-waste generated during the manufacture of any electrical and electronic equipment and channelise it for recycling or disposal;
- (2) apply for an authorisation in Form 1 (a) in accordance with the procedure prescribed under sub-rule (2) of rule 13 from the concerned State Pollution Control Board, which shall give the authorisation in accordance with Form 1 (bb);
- (3) ensure that no damage is caused to the environment during storage and transportation of e-waste;
- (4) maintain records of the e-waste generated, handled and disposed in Form-2 and make such records available for scrutiny by the concerned State Pollution Control Board.
- (5) file annual returns in Form-3, to the concerned State Pollution Control Board on or before the 30th day of June following the financial year to which that return relates.
- **5. Responsibilities of the producer.** The producer of electrical and electronic equipment listed in Schedule I shall be responsible for -
- (1) implementing the Extended Producers Responsibility with the following frameworks, namely:-
- (a) collection and channelisation of e-waste generated from the 'end-of-life' of their products or 'end-of-life' products with same electrical and electronic equipment code and historical waste available on the date from which these rules come into force as per Schedule I in line with the targets prescribed in Schedule III in Extended Producer Responsibility - Authorisation;
- (b) the mechanism used for channelisation of e-waste from 'end-of-life' products including those from their service centres to authorised dismantler or recycler shall be in accordance with the Extended Producer Responsibility - Authorisation. In cases of fluorescent and other mercury containing lamps, where recyclers are not available, channelisation may be from collection centre to Treatment, Storage and Disposal Facility:
- (c) for disposal in Treatment, Storage and Disposal Facility, a pre-treatment is necessary to immobilise the mercury and reduce the volume of waste to be disposed off:
- (d) Extended Producer Responsibility Authorisation should comprise of general scheme for collection of waste Electrical and Electronic Equipment from the Electrical and Electronic Equipment placed on the market earlier, such as through dealer, collection centres, Producer Responsibility Organisation, through buy-back arrangement, exchange scheme, Deposit Refund System, etc. whether directly or through any authorised agency and channelising the items so collected to authorised recyclers;
- (e) providing contact details such as address, e-mail address, toll-free telephone numbers or helpline numbers to consumer(s) or bulk consumer(s) through their website and product user documentation so as to facilitate return of end-of-life electrical and electronic equipment;
- (f) creating awareness through media, publications, advertisements, posters, or by any other means of communication and product user documentation accompanying the equipment, with regard to -

- (i) information on address, e-mail address, toll-free telephone numbers or helpline numbers and web site:
- (ii) information on hazardous constituents as specified in sub-rule 1 of rule 16 in electrical and electronic equipment;
- (iii) information on hazards of improper handling, disposal, accidental breakage, damage or improper recycling of e-waste;
- (iv) instructions for handling and disposal of the equipment after its use, along with the Do's and Don'ts:
- (v) affixing a visible, legible and indelible symbol given below on the products or product user documentation to prevent e-waste from being dropped in garbage bins containing waste destined for disposal;



- (vi) means and mechanism available for their consumers to return e-waste for recycling including the details of Deposit Refund Scheme, if applicable;
- (g) the producer shall opt to implement Extended Producer Responsibility individually or collectively. In individual producer responsibility, producer may set up his own collection centre or implement take back system or both to meet Extended Producer Responsibility. In collective system, producers may tie-up as a member with a Producer Responsibility Organisation or with e-waste exchange or both. It shall be mandatory upon on the individual producer in every case to seek Extended Producer Responsibility - Authorisation from Central Pollution Control Board in accordance with the Form-1 and the procedure laid down in sub-rule (1) of rule 13;
- (2) to provide information on the implementation of Deposit Refund Scheme to ensure collection of end-of-life products and their channelisation to authorised dismantlers or recyclers, if such scheme is included in the Extended Producer Responsibility Plan.
 - Provided that the producer shall refund the deposit amount that has been taken from the consumer or bulk consumer at the time of sale, along with interest at the prevalent rate for the period of the deposit at the time of take back of the end-of-life product;
- (3) the import of electrical and electronic equipment shall be allowed only to producers having Extended Producer Responsibility authorisation;
- (4) maintaining records in Form-2 of the e-waste handled and make such records available for scrutiny by the Central Pollution Control Board or the concerned State Pollution Control Board;
- (5) filing annual returns in Form-3, to the Central Pollution Control Board on or before the 30th day of June following the financial year to which that return relates. In case of the Producer with multiple offices in a State, one annual return combining information from all the offices shall be filed:

- (6) the Producer shall apply to the Central Pollution Control Board for authorisation in Form 1, which shall thereafter grant the Extended Producer Responsibility -Authorisation in Form 1(aa).
- (7) Operation without Extended Producer Responsibility-Authorisation by any producer, as defined in this rule, shall be considered as causing damage to the environment.
- Responsibilities of collection centres. (1) collect e-waste on behalf of producer or dismantler or recycler or refurbisher including those arising from orphaned products;
 - Provided the collection centres established by producer can also collect e-waste on behalf of dismantler, refurbisher and recycler including those arising from orphaned products
- (2) ensure that the facilities are in accordance with the standards or guidelines issued by Central Pollution Control Board from time to time;
- (3) ensure that the e-waste collected by them is stored in a secured manner till it is sent to authorised dismantler or recycler as the case may be;
- (4) ensure that no damage is caused to the environment during storage and transportation of e-waste;
- (5) maintain records in Form-2 of the e-waste handled as per the guidelines of Central Pollution Control Board and make such records available for scrutiny by the Central Pollution Control Board or the concerned State Pollution Control Board as and when asked for.
- 7. Responsibilities of dealers. (1) in the case the dealer has been given the responsibility of collection on behalf of the producer, the dealer shall collect the e-waste by providing the consumer a box, bin or a demarcated area to deposit e-waste, or through take back system and send the e-waste so collected to collection centre or dismantler or recycler as designated by producer;
- (2) the dealer or retailer or e-retailer shall refund the amount as per take back system or Deposit Refund Scheme of the producer to the depositor of e-waste;
- (3) every dealer shall ensure that the e-waste thus generated is safely transported to authorised dismantlers or recyclers;
- (4) ensure that no damage is caused to the environment during storage and transportation of e-waste.
- Responsibilities of the refurbisher. (1) collect e-waste generated during the process of refurbishing and channelise the waste to authorised dismantler or recycler through its collection centre;
- (2) make an application in Form 1(a) in accordance with the procedure laid down in sub-rule (4) of rule 13 to the concerned State Pollution Control Board for grant of one time authorisation;
 - (a) the concerned State Pollution Control Board shall authorise the Refurbisher on one time basis as per Form 1 (bb) and authorisation would be deemed as considered if not objected to within a period of thirty days;
 - (b) the authorised Refurbisher shall be required to submit details of e-waste generated to the concerned State Pollution Control Board on yearly basis;
- (3) ensure that no damage is caused to the environment during storage and transportation of e-waste:
- (4) ensure that the refurbishing process do not have any adverse effect on the health and the environment;

- 11. Responsibilities of the recycler. (1) shall ensure that the facility and recycling processes are in accordance with the standards or guidelines prescribed by the Central Pollution Control Board from time to time;
- (2) obtain authorisation from concerned State Pollution Control Board in accordance with the procedure under the sub-rule (3) of rule 13;
- (3) ensure that no damage is caused to the environment during storage and transportation of e-waste;
- (4) ensure that the recycling processes do not have any adverse effect on the health and the environment:
- (5) make available all records to the Central Pollution Control Board or the concerned State Pollution Control Board for inspection;
- (6) ensure that the fractions or material not recycled in its facility is sent to the respective authorised recyclers;
- (7) ensure that residue generated during recycling process is disposed of in an authorised treatment storage disposal facility;
- (8) maintain record of e-waste collected, dismantled, recycled and sent to authorised recycler in Form-2 and make such record available for scrutiny by the Central Pollution Control Board or the concerned State Pollution Control Board;
- (9) file annual returns in Form-3, to the concerned State Pollution Control Board as the case may be, on or before 30th day of June following the financial year to which that return relates;
- (10)may accept waste electrical and electronic equipment or components not listed in Schedule I for recycling provided that they do not contain any radioactive material and same shall be indicated while taking the authorisation from concerned State Pollution Control Board:
- (11)operation without Authorisation by any recycler, as defined in this rule, shall be considered as causing damage to the environment.
- **12.** Responsibilities of State Government for environmentally sound management of E-waste. (1) Department of Industry in State or any other government agency authorised in this regard by the State Government, to ensure earmarking or allocation of industrial space or shed for e-waste dismantling and recycling in the existing and upcoming industrial park, estate and industrial clusters;
- (2) Department of Labour in the State or any other government agency authorised in this regard by the State Government shall:
 - ensure recognition and registration of workers involved in dismantling and recycling;
 - assist formation of groups of such workers to facilitate setting up dismantling facilities;
 - c. undertake industrial skill development activities for the workers involved in dismantling and recycling;
 - d. undertake annual monitoring and to ensure safety & health of workers involved in dismantling and recycling;
- (3) State Government to prepare integrated plan for effective implementation of these provisions, and to submit annual report to Ministry of Environment, Forest and Climate Change.

CHAPTER III

PROCEDURE FOR SEEKING AND GRANT OF AUTHORISATION FOR MANAGEMENT OF E-WASTE

13. Procedure for Seeking and Grant of Authorisation. -

- (1) Extended Producer Responsibility Authorisation of Producers. (i) every producer of electrical and electronic equipment listed in Schedule I, shall make an application for Extended Producer Responsibility - Authorisation within a period of ninety days starting from the date of these rules coming into force in Form-1 to Central Pollution Control Board;
- (ii) on receipt of the application complete in all respects, the Central Pollution Control Board will carry out evaluation of the Extended Producer Responsibility Plan and on being satisfied that the producer has detailed out an effective system to manage Extended Producer Responsibility in the country, shall grant Extended Producer Responsibility - Authorisation, in Form 1(aa) within a period of one hundred and twenty days. The Extended Producer Responsibility - Authorisation shall be valid for a period of five years;

This authorisation shall include among others the targeted quantity of e-waste, product code wise, to be collected during the year. The actual target for collection of e-waste for dismantling or recycling will be fixed on the basis of quantity of electrical and electronic equipment, product code wise, placed in the market in the previous years and taking into consideration the average life of the equipment. The estimated quantity of e-waste generated during the current year will be indicated by the producer and the quantity expected to be collected with the collection scheme proposed to be implemented by the producer will be indicated in the Extended Producer Responsibility plan. The Central Pollution Control Board shall fix the targets in accordance with Schedule III.

- (iii) the Central Pollution Control Board, after giving reasonable opportunity of being heard to the applicant shall refuse to grant Extended Producer Responsibility – Authorisation;
- (iv) in the event of refusal of Extended Producer Responsibility Authorisation by the Central Pollution Control Board, the producer will forfeit his right to put any Electrical and Electronic Equipment in the market till such time the Extended Producer Responsibility - Authorisation is granted;
- (v) the Central Pollution Control Board after grant of Extended Producer Responsibility - Authorisation shall forward the Extended Producer Responsibility Plan to respective State Pollution Control Board for monitoring;
- (vi) an application for the renewal of Extended Producer Responsibility-Authorisation shall be made in Form-1 before one hundred and twenty days of its expiry to Central Pollution Control Board. The Central Pollution Control Board may renew the authorisation for a period of five years after receipt of compliance report from the concerned State Pollution Control Board which shall submit the compliance report to Central Pollution Control Board within sixty days from the date of the receipt of the application. In case of non receipt of the compliance report from the State Pollution Control Board within stipulated time period of sixty days, Central Pollution Control Board may renew the Extended Producer Responsibility-Authorisation after examining such case on merit basis, subject to no report of violation of the provisions of the Act or the rules made there under or the conditions specified in the Extended Producer Responsibility - Authorisation;

- (vii) every producer of Electrical and Electronic Equipment listed in Schedule I, shall take all steps, wherever required, to comply with the conditions specified in the Extended Producer Responsibility – Authorisation;
- (viii) the concerned State Pollution Control Board shall monitor the compliance of Extended Producer Responsibility - Authorisation, take cognizance of any noncompliance and inform Central Pollution Control Board for taking action, as necessary;
- (ix) Central Pollution Control Board shall conduct random check and if in its opinion, the holders of the Extended Producer Responsibility - Authorisation has failed to comply with any of the conditions of the authorisation or with any provisions of the Act or these rules and after giving a reasonable opportunity of being heard and after recording reasons thereof in writing cancel or suspend the Extended Producer Responsibility - Authorisation issued under these rules for such period as it considers necessary in the public interest and inform the concerned State Pollution Control Board within ten days of cancellation.
- (x) the Central Pollution Control Board shall maintain an online register of Extended Producer Responsibility - Authorisation granted with conditions imposed under these rules for environmentally sound management of e-waste, and which shall be accessible to any citizen of the country.
- (xi) The producer authorised under the provision of this rule shall maintain records in Form-2 and shall file annual returns of its activities of previous year in Form-3 to the Central Pollution Control Board on or before 30th day of June of every year;
- (2) **Authorisation of Manufacturer.** (i) the manufacturer generating e-waste shall obtain an authorisation from the concerned State Pollution Control Board;
- (ii) the manufacturer shall make an application for authorisation, within a period of ninety days from the date of these rules coming into force in Form 1(a) to the concerned State Pollution Control Board for grant of authorisation;
- (iii) on receipt of the application complete in all respects for the authorisation, the concerned State Pollution Control Board may, after such enquiry as it considers necessary and on being satisfied that the applicant possesses appropriate facilities, technical capabilities and equipment to handle e-waste safely, grant within a period of one hundred and twenty days an authorisation in Form 1(bb) to the applicant to carry out safe operations in the authorised place only, which shall be valid for a period of five years:
- (iv) the concerned State Pollution Control Board after giving reasonable opportunity of being heard to the applicant may refuse to grant any authorisation;
- (v) every person authorised under these rules shall maintain the record of e-waste handled by them in Form-2 and prepare and submit to the concerned State Pollution Control Board, an annual return containing the details specified in Form-3 on or before the 30th day of June following the financial year to which that return relates;
- (vi) an application for the renewal of an authorisation shall be made in Form-1(a) before one hundred and twenty days of its expiry and the concerned State Pollution Control Board may renew the authorisation for a period of five years after examining each case on merit and subject to the condition that there is no report of violation of the provisions of the Act or the rules made thereunder or the conditions specified in the authorisation;
- (vii) manufacturer shall take all steps to comply with the conditions specified in the authorisation;
- (viii) the concerned State Pollution Control Board shall maintain an online register of authorisations granted with conditions imposed under these rules for

environmentally sound management of e-waste, and which shall be accessible to any citizen of the country.

- (3) Procedure for grant of authorisation to dismantler or recycler. (i) every Dismantler or Recycler of e-waste shall make an application, within a period of one hundred and twenty days starting from the date of coming into force of these rules, in Form-4 in triplicate to the concerned State Pollution Control Board accompanied with a copy of the following documents for the grant or renewal of authorisation, namely:-
 - (a) consent to establish granted by the concerned State Pollution Control Board under the Water (Prevention and Control of Pollution) Act, 1974, (25 of 1974) and the Air (Prevention and Control of Pollution) Act, 1981(21 of 1981);
 - (b) certificate of registration issued by the District Industries Centre or any other government agency authorised in this regard;
 - (c) proof of installed capacity of plant and machinery issued by the District Industries Centre or any other government agency authorised in this behalf;
 - (d) in case of renewal, a certificate of compliance of effluent and emission standards, treatment and disposal of hazardous wastes as applicable from the concerned State Pollution Control Board or any other agency designated for this purpose:

Provided that any person authorised or registered under the provisions of the Hazardous Wastes (Management, Handling and Transboundary Movements) Rules, 2008, and the E-waste (Management & Handling) Rules, 2011 prior to the date of coming into force of these rules shall not be required to make an application for authorisation till the period of expiry of such authorisation or registration:

- (ii) the concerned State Pollution Control Board, on being satisfied that the application is complete in all respects and that the applicant is utilising environmentally sound technologies and possess adequate technical capabilities, requisite facilities and equipment to dismantle or recycle and process e-waste in compliance to the guidelines specified by Central Pollution Control Board from time to time and through site inspection, may grant authorisation to such applicants stipulating therein necessary conditions as deemed necessary for carrying out safe operations in the authorised place only;
- (iii) the concerned State Pollution Control Board shall dispose of the application for authorisation within a period of one hundred and twenty days from the date of the receipt of such application complete in all respects:
- (iv) the authorisation granted under these rules shall be valid for a period of five years from the date of its issue and shall be accompanied with a copy of the field inspection report signed by that Board indicating the adequacy of facilities for dismantling or recycling of e-waste and compliance to the guidelines specified by Central Pollution Control Board from time to time;
- (v) the concerned State Pollution Control Board may refuse, cancel or suspend an authorisation granted under these rules, if it has reasons to believe that the authorised dismantler or recycler has failed to comply with any of the conditions of authorisation, or with any provisions of the Act or rules made thereunder, after giving an opportunity to the dismantler or recycler to be heard and after recording the reasons thereof;
- (vi) an application for the renewal of authorisation shall be made in Form 4 before one hundred and twenty days of its expiry and the concerned State Pollution Control Board may renew the authorisation for a period of five years after

- examining each case on merit and subject to the condition that there is no report of violation of the provisions of the Act or the rules made there under or the conditions specified in the authorisation;
- (vii) the Dismantler and Recycler shall maintain records of the e-waste purchased, processed in Form-2 and shall file annual returns of its activities of previous year in Form-3 to the concerned State Pollution Control Board on or before 30th day of June of every year;
- (viii) the Central Government and the Central Pollution Control Board may issue guidelines for standards of performance for dismantling and recycling processes from time to time.
- (4) Procedure for grant of authorisation to refurbisher. (i) every refurbisher of e-waste shall make an application, with in a period of one hundred and twenty days starting from the date of coming into force of these rules, in Form 1 (a) in triplicate to the concerned State Pollution Control Board accompanied with a copy of the following documents for the grant or renewal of authorisation, namely:-
 - (a) consent to establish granted by the concerned State Pollution Control Board under the Water (Prevention and Control of Pollution) Act, 1974, (25 of 1974) and the Air (Prevention and Control of Pollution) Act, 1981 (21 of 1981);
 - (b) certificate of registration issued by the District Industries Centre or any other government agency authorised in this regard;
 - (c) proof of installed capacity of plant and machinery issued by the District Industries Centre or any other government agency authorised in this behalf.
- (ii) the concerned State Pollution Control Board, on being satisfied that the application is complete in all respects and complies with the guidelines prescribed by Central Pollution Control Board from time to time, may grant one time authorisation in Form 1 (bb) to such applicants stipulating therein necessary conditions as deemed necessary for carrying out refurbishing activities in the authorised place only;
- (iii) the concerned State Pollution Control Board shall dispose of the application for authorisation within a period of one hundred and twenty days from the date of the receipt of such application complete in all respects;
- (iv) the concerned State Pollution Control Board may refuse, cancel or suspend a authorisation granted under these rules, if it has reasons to believe that the authorised refurbisher has failed to comply with any of the conditions of authorisation, or with any provisions of the Act or rules made thereunder, after giving an opportunity to the refurbisher to be heard and after recording the reasons thereof;
- (v) the Refurbisher shall maintain records of the e-waste purchased and refurbished in Form-2 and shall file annual returns of its activities of previous year in Form-3 to the concerned State Pollution Control Board on or before 30th day of June of every year.
- 14. Power to suspend or cancel an authorisation.- (1) The State Pollution Control Board may, if in its opinion, the holder of Manufacturer or Dismantler or Recycler or Refurbisher Authorisation has failed to comply with any of the conditions of the authorisation or with any provisions of the Act or these rules and after giving a reasonable opportunity of being heard and after recording reasons thereof in writing

cancel or suspend the authorisation issued under these rules for such period as it considers necessary in the public interest and inform Central Pollution Control Board within ten days of cancellation;

- (2) The Central Pollution Control Board, if in its opinion, the holders of the Extended Producer Responsibility- Authorisation has failed to comply with any of the conditions of the authorisation or with any provisions of the Act or these rules and after giving a reasonable opportunity of being heard and after recording reasons thereof in writing cancel or suspend the Extended Producer Responsibility- Authorisation issued under these rules for such period as it considers necessary in the public interest and inform State Pollution Control Boards or Pollution Control Committees within ten days of cancellation:
- (3) Upon suspension or cancellation of the authorisation, the Central Pollution Control Board or State Pollution Control Board may give directions to the persons whose authorisation has been suspended or cancelled for the safe storage and management of the e-waste and such persons shall comply with such directions.

CHAPTER IV

15. Procedure for storage of e-waste. - Every manufacturer, producer, bulk consumer, collection centre, dealer, refurbisher, dismantler and recycler may store the e-waste for a period not exceeding one hundred and eighty days and shall maintain a record of collection, sale, transfer and storage of wastes and make these records available for inspection:

Provided that the concerned State Pollution Control Board may extend the said period up to three hundred and sixty five days in case the waste needs to be specifically stored for development of a process for its recycling or reuse.

CHAPTER V

REDUCTION IN THE USE OF HAZARDOUS SUBSTANCES IN THE MANUFACTURE OF ELECTRICAL AND ELECTRONIC EQUIPMENT AND THEIR COMPONENTS OR CONSUMABLES OR PARTS OR SPARES

- 16. Reduction in the use of hazardous substances in the manufacture of electrical and electronic equipment and their components or consumables or parts or spares. (1) Every producer of electrical and electronic equipment and their components or consumables or parts or spares listed in Schedule I shall ensure that, new Electrical and Electronic Equipment and their components or consumables or parts or spares do not contain Lead, Mercury, Cadmium, Hexavalent Chromium, polybrominated biphenyls and polybrominated diphenyl ethers beyond a maximum concentration value of 0.1% by weight in homogenous materials for lead, mercury, hexavalent chromium, polybrominated biphenyls and polybrominated diphenyl ethers and of 0.01% by weight in homogenous materials for cadmium.
- (2) Components or consumables or parts or spares required for the electrical and electronic equipment placed in the market prior to 1st May, 2014 may be exempted from the provisions of sub-rule (1) of rule 16 provided Reduction of Hazardous Substances compliant parts and spares are not available.
- (3) The applications listed in Schedule II shall be exempted from provisions of subrule (1) of rule 16.

- (4) Every producer of applications listed in Schedule II shall ensure that the limits of hazardous substances as given in Schedule II are to be complied.
- (5) Every producer shall provide the detailed information on the constituents of the equipment and their components or consumables or parts or spares alongwith a declaration of conformance to the Reduction of Hazardous Substances provisions in the product user documentation.
- (6) Imports or placement in the market for new electrical and electronic equipment shall be permitted only for those which are compliant to provisions of sub-rule (1) and sub rule (4) of rule 16.
- (7) Manufacture and supply of electrical and electronic equipment used for defence and other similar strategic applications shall be excluded from provisions of subrule (1) of rule 16.
- (8) Every producer while seeking Extended Producer Responsibility Authorisation will provide information on the compliance of the provisions of sub-rule (1) of rule 16. This information shall be in terms of self-declaration.
- (9) Central Pollution Control Board shall conduct random sampling of electrical and electronic equipment placed on the market to monitor and verify the compliance of Reduction of Hazardous Substances provisions and the cost for sample and testing shall be borne by the Producer. The random sampling shall be as per the guidelines of Central Pollution Control Board.
- (10) If the product does not comply with Reduction of Hazardous Substances provisions, the Producers shall take corrective measures to bring the product into compliance and withdraw or recall the product from the market, within a reasonable period as per the guidelines of the Central Pollution Control Board.
- (11)Central Pollution Control Board shall publish the methods for sampling and analysis of Hazardous Substances as listed in sub-rule(1) of rule 16 with respect to the items listed in Schedule I and II and also enlist the labs for this purpose.

CHAPTER VI

MISCELLANEOUS

- **17**. **Duties of authorities. -** Subject to other provisions of these rules, the authorities shall perform duties as specified in Schedule IV.
- **18. Annual Report.** (1) The concerned State Pollution Control Board shall prepare and submit to the Central Pollution Control Board an annual report with regard to the implementation of these rules by the 30th day of September every year in Form-5.
- (2) The Central Pollution Control Board shall prepare the consolidated annual review report on management of e-waste and forward it to the Central Government along with its recommendations before the 30th day of December every year.
- 19. Transportation of e-waste. –The transportation of e-waste shall be carried out as per the manifest system whereby the transporter shall be required to carry a document (three copies) prepared by the sender, giving the details as per Form-6:

Provided that the transportation of waste generated from manufacturing or recycling destined for final disposal to a treatment, storage and disposal facility shall follow the provisions under Hazardous Wastes (Management, Handling and Transboundary Movement) Rules, 2008.

- **20. Accident reporting.-** Where an accident occurs at the facility processing e-waste or during transportation of e-waste, the producer, refurbisher, transporter, dismantler, or recycler, as the case may be, shall report immediately to the concerned State Pollution Control Board about the accident through telephone and e-mail.
- 21. Liability of manufacturer, producer, importer, transporter, refurbisher, dismantler and recycler.- (1) The manufacturer, producer, importer, transporter, refurbisher, dismantler and recycler shall be liable for all damages caused to the environment or third party due to improper handling and management of the e-waste:
- (2) The manufacturer, producer, importer, transporter, refurbisher, dismantler and recycler shall be liable to pay financial penalties as levied for any violation of the provisions under these rules by the State Pollution Control Board with the prior approval of the Central Pollution Control Board.
- **22.** Appeal.- (1) Any person aggrieved by an order of suspension or cancellation or refusal of authorisation or its renewal passed by the Central Pollution Control Board or State Pollution Control Board may, within a period of thirty days from the date on which the order is communicated to him, prefer a appeal in Form 7 to the Appellate Authority comprising of the Environment Secretary of the State.
- (2) The Appellate Authority may entertain the appeal after expiry of the said period of thirty days if it is satisfied that the appellant was prevented by sufficient cause from filing the appeal in time.
- (3) Every appeal filed under this rule shall be disposed of within a period of sixty days from the date of its filing.
- 23. The collection, storage, transportation, segregation, refurbishment, dismantling, recycling and disposal of e-waste shall be in accordance with the procedures prescribed in the guidelines published by the Central Pollution Control Board from time to time. Implementation of e-waste (Management and Handling) Amendment Rules, 2011 shall be in accordance with the guidelines prescribed by the Central Pollution Control Board from time to time.
- 24. Urban Local Bodies (Municipal Committee or Council or Corporation) shall ensure that e-waste pertaining to orphan products is collected and channelised to authorised dismantler or recycler.

SCHEDULE I

[See rules 2, 3(j), 3(y), 3(aa) and 3(ff); 5; 9; 11(10); 13 (1) (i), 13 (1) (vii) and 16(1), 16(11)]

Categories of electrical and electronic equipment including their components, consumables, parts and spares covered under the rules

Sr. No.	Categories of electrical and electronic equipment	Electrical and electronic equipment code
i.	Information technology and telecommunication equipment:	
	Centralised data processing: Mainframes, Minicomputers	ITEW1
	Personal Computing: Personal Computers (Central Processing Unit with input and output devices)	ITEW2
	Personal Computing: Laptop Computers(Central Processing Unit with input and output devices)	ITEW3
	Personal Computing: Notebook Computers	ITEW4
	Personal Computing: Notepad Computers	ITEW5
	Printers including cartridges	ITEW6
	Copying equipment	ITEW7
	Electrical and electronic typewriters	ITEW8
	User terminals and systems	ITEW9
	Facsimile	ITEW10
	Telex	ITEW11
	Telephones	ITEW12
	Pay telephones	ITEW13
	Cordless telephones	ITEW14
	Cellular telephones	ITEW15
	Answering systems	ITEW16
ii.	Consumer electrical and electronics:	
	Television sets (including sets based on (Liquid Crystal Display and Light Emitting Diode technology)	CEEW1
	Refrigerator	CEEW2
	Washing Machine	CEEW3
	Air-conditioners excluding centralised air conditioning plants	CEEW4
	Fluorescent and other Mercury containing lamps	CEEW5

SCHEDULE II

[See rules 16 (3), 16 (4) and 16 (11)]

Appli	cations, which are exempted from the requirements of sub-rule (1) of rule 16
_	Substance
1	Mercury in single capped (compact) fluorescent lamps not exceeding (per burner):
1(a)	For general lighting purposes <30 W : 2.5 mg
1(b)	For general lighting purposes ≥ 30 W and <50 W : 3.5mg
1(c)	For general lighting purposes ≥ 50 W and <150 W : 5mg
1(d)	For general lighting purposes ≥150 W : 15 mg
1(e)	For general lighting purposes with circular or square structural shape and tube diameter ≤17 mm : 7mg
1(f)	For special purposes:5 mg
2(a)	Mercury in double-capped linear fluorescent lamps for general lighting purposes not exceeding (per lamp):
2(a)(1)	Tri-band phosphor with normal life time and a tube diameter < 9mm (e.g. T2): 4mg
2(a)(2)	Tri-band phosphor with normal life time and a tube diameter ≥ 9 mm and ≤ 17 mm (e.g. T5): 3 mg
2(a)(3)	Tri- band phosphor with normal life time and a tube diameter >17 mm and ≤ 28 mm(e.g. T8): 3.5 mg
2(a)(4)	Tri-band phosphor with normal life time and a tube diameter >28 mm (e.g. T 12):3.5 mg
2(a)(5)	Tri-band phosphor with long life time (≥25000 h):5mg
2(b)	Mercury in other fluorescent lamps not exceeding(per lamp):
2(b)(1)	Linear halophosphate lamps with tube >28 mm (e.g. T 10 and T12):10 mg
2(b)(2)	Non-linear halophosphate lamps(all diameters):15mg
2(b)(3)	Non-linear tri-band phosphor lamps with tube diameter >17 mm(e.g.T9): 15 mg
2(b)(4)	Lamps for other general lighting and special purposes (e.g. induction lamps):15mg
3	Mercury in cold cathode fluorescent lamps and external electrode fluorescent lamps (CCFL and EEFL)for special purposes not exceeding (per lamp):
3(a)	Short length(≤ 500 mm):3.5mg
3(b)	Medium length(>500 mm and<1500 mm): 5mg
3(c)	Long length(>1500 mm): 13mg
4(a)	Mercury in other low pressure discharge lamps (per lamp): 15mg
4(b)	Mercury in High Pressure Sodium(vapour) lamps for general lighting purposes not exceeding (per burner)in lamps with improved colour rendering index Ra>60:

4(b)-I	P ≤155 W : 30 mg
4(b)-II	155 W < P <u><405</u> W : 40 mg
4(b)-III	P >405 W: 40 mg
4(c)	Mercury in other High Pressure Sodium(vapour)lamps for general lighting purposes not exceeding (per burner):
4(c)-l	P<155 W:25mg
4(c)-II	155 W < P ≤ 405 W:30 mg
4(c)-III	P >405 W:40 mg
4(d)	Mercury in High Pressure Mercury (vapour) lamps (HPMV)
4(e)	Mercury in metal halide lamps (MH)
4(f)	Mercury in other discharge lamps for special purposes not specifically mentioned in this Schedule
5(a)	Lead in glass of cathode ray tubes
5(b)	Lead in glass of fluorescent tubes not exceeding 0.2% by weight
6(a)	Lead as an alloying element in steel for machining purposes and in galvanized steel containing up to 0.35% lead by weight
6(b)	Lead as an alloying element in aluminium containing up to 0.4% lead by weight
6(c)	Copper alloy containing up to 4% lead by weight
7(a)	Lead in high melting temperature type solders (i.e. lead-based alloys containing 85% by weight or more lead)
7(b)	Lead in solders for servers, storage and storage array systems, network infrastructure equipment for switching, signalling, transmission, and network management for telecommunications
7(c)-I	Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound.
7(c)-II	Lead in dielectric ceramic in capacitors for a rated voltage of 125 V AC or 250 V DC or higher
7(c)-III	Lead in dielectric ceramic in capacitors for a rated voltage of less than 125 V AC or 250 V DC
8(a)	Cadmium and its compounds in one shot pellet type thermal cut-offs
8(b)	Cadmium and its compounds in electrical contracts
9	Hexavalent chromium as an anticorrosion agent of the carbon steel cooling system in absorption refrigerators up to 0.75% by weight in the cooling solution
9(b)	Lead in bearing shells and bushes for refrigerant-containing compressors for heating, ventilation, air conditioning and refrigeration (HVACR) application.

11(a)	Lead used in C-press compliant pin connector systems
11(b)	Lead used in other than C-press compliant pin connector systems
12	Lead as a coating material for the thermal conduction module C- ring
13(a)	Lead in white glasses used for optical applications
13(b)	Cadmium and lead in filter glasses and glasses used for reflectance standards.
14	Lead in solders consisting of more than two elements for the connection between the pins and the package of microprocessors with a lead content of more than 80% and less than 85% by weight
15	Lead in solders to complete a viable electrical connection between semiconductor die and carrier within integrated circuit flip chip packages.
16	Lead in linear incandescent lamps with silicate coated tubes
17	Lead halide as radiant agent in high intensity discharge (HID) lamps used for professional reprography applications.
18(a)	Lead as activator in the fluorescent powder (1% lead by weight or less) of discharge lamps when used as specialty lamps for diazoprinting reprography, lithography, insect traps, photochemical and curing processes containing phosphors such as SMS ((Sr, Ba) ₂ Mg Si ₂ O ₇ :Pb)
18(b)	Lead as activator in the fluorescent powder (1% lead by weight or less) of discharge lamps when used as sun tanning lamps containing phosphors such as BSP (Ba Si ₂ O ₅ :Pb)
19	Lead with PbBiSn-Hg and PbInSn-Hg in specific compositions as main amalgam and with PbSn-Hg as auxiliary amalgam in very compact energy saving lamps (ESL)
20	Lead oxide in glass used for bonding front and rear substrates of flat fluorescent lamps used for Liquid Crystal Displays (LCDs)
21	Lead and cadmium in printing inks for the application of enamels on glasses, such as borosilicate and soda lime glasses
23	Lead in finishes of fine pitch components other than connectors with a pitch of 0.65 mm and less
24	Lead in solders for the soldering to machined through hole discoidal and planar array ceramic multilayer capacitors
25	Lead oxide in surface conduction electron emitter displays (SED) used in structural elements, notably in the seal frit and frit ring.
26	Lead oxide in the glass envelope of black light blue lamps
27	Lead alloys as solder for transducers used in high-powered (designated to operate for several hours at acoustic power levels of 125 dB SPL and above) loudspeakers
29	Lead bound in crystal glass

30	Cadmium alloys as electrical/mechanical solder joints to electrical conductors located directly on the voice coil in transducers used in high-powered loudspeakers with sound pressure levels of 100 dB(A) and more
31	Lead in soldering materials in mercury free flat fluorescent lamps (which e.g. are used for liquid crystal displays, design or industrial lighting)
32	Lead oxide in seal frit used for making window assemblies for Argon and Krypton laser tubes
33	Lead in solders for the soldering of thin copper wires of 100 µm diameter and less in power transformers
34	Lead in cermet-based trimmer potentiometer elements
36	Mercury used as a cathode sputtering inhibitor in DC plasma displays with a content up to 30 mg per display
37	Lead in the plating layer of high voltage diodes on the basis of a zinc borate glass body
38	Cadmium and cadmium oxide in thick film pastes used on aluminium bonded beryllium oxide
39	Cadmium in colour converting II-VI LEDs (<10 µg Cd per mm ² of light-emitting area) for use in solid state illumination or display systems.

SCHEDULE III

[See rules 5 (1) (a) and 13 (1) (ii)]

Targets for Extended Producer Responsibility - Authorisation

No.	Year	E-Waste Collection Target (Number/Weight)						
(i)	implementation of rules	30% of the quantity of waste generation as indicated in Extended Producer Responsibility Plan.						
(ii)	implementation of rules	40% of the quantity of waste generation as indicated in Extended Producer Responsibility Plan.						
(iii)	implementation of rules	50% of the quantity of waste generation as indicated in Extended Producer Responsibility Plan.						
(iv)	implementation of rules	70% of the quantity of waste generation as indicated in Extended Producer Responsibility Plan.						

SCHEDULE IV

[See rule (17)]

LIST OF AUTHORITIES AND CORREPONDING DUTIES

Sr. No	AUTHORITY	CORRESPONDING DUTIES						
1.	Central Pollution Control Board, Delhi	 (i) Grant and Renewal of Extended Producer Responsibility - Authorisation and monitoring of its compliance. (ii) Maintain information on Extended Producer Responsibility - Authorisation on its web site. (iii) Set and revise targets for collection of e-waste from time to time. (iv) Coordination with State Pollution Control Boards (v) Preparation of Guidelines for Environmentally Sound Management of e-waste. (vi) Conduct random check for ascertaining compliance of the e-waste rules and identification of such importers or producers who have not applied for Extended Producer Responsibility authorisation or are not complying with RoHS provision. Wherever necessary, Central Pollution Control Board will seek the help of customs department or any other agency of the Government of India. (vii) Conduct random inspection of dismantler or recycler or refurbisher. (viii) Documentation, compilation of data on e-waste and uploading on websites of Central Pollution Control Board (ix) Actions against violation of these rules. (x) Conducting training programmes. (xi) Submit Annual Report to the Ministry. (xii) Enforcement of provisions regarding reduction in use of hazardous substances in manufacture of electrical and electronic equipment. (xiii) Interaction with IT industry for reducing hazardous substances. (xiv) Set and revise targets for compliance to the reduction in use of hazardous substance in manufacture of electrical and electronic equipment from time to time. (xv) Any other function delegated by the Ministry under these rules from time to time. 						
2.	State Pollution Control Boards or Committees of Union territories	 (i) Inventorisation of e-waste. (ii) Grant and renewal of authorisation to manufacturers, dismantlers, recyclers and refurbishers. (iii) Monitoring and compliance of Extended Producer Responsibility - Authorisation as directed by Central Pollution Control Board and that of dismantlers, recyclers and refurbishers authorisation. (iv) Conduct random inspection of dismantler or recycler or refurbisher. (v) Maintain online information regarding authorisation granted to manufacturers, dismantlers, recyclers and refurbishers. 						

Sr. No	AUTHORITY	CORRESPONDING DUTIES
		 (vi) Implementation of programmes to encourage environmentally sound recycling. (vii) Action against violations of these rules. (viii)Any other function delegated by the Ministry under these rules.
3.	Urban Local Bodies (Municipal Committee or Council or Corporation)	 (i) To ensure that e-waste if found to be mixed with Municipal Solid Waste is properly segregated, collected and is channelised to authorised dismantler or recycler. (ii) To ensure that e-waste pertaining to orphan products is collected and channelised to authorised dismantler or recycler.
4.	Port authority under Indian Ports Act, 1908 (15 of 1908) and Customs Authority under the Customs Act, 1962 (52 of 1962)	Authorisation. (ii) Inform Central Pollution Control Board of any illegal traffic for necessary action. (iii) Take action against importer for violations under the

FORM-1 [See Rules 5(1) (g), 13(1) (i), 13(1) (vi)]

Applicable to producers seeking Extended Producer Responsibility - Authorisation

The application form should contain the following information:

ail and other er (It should sale in entire	
Organisation, ess, e-mail, r, if engaged	
et year-wise	
	along with all and other er (It should sale in entire) Person and dephone and ext details of Organisation, ess, e-mail, r, if engaged Extended electronic et year-wise in the form of

Table 1: Details of Electrical and Electronic Equipment placed on the market in previous years - Code wise

Sr. No.	Equipment Item	Electrical and Electronic Equipment Code	Quantity, number and weight placed on market (year-wise)			
Α	Information technol	ogy and teled	communication equipment:			
1	Centralised data processing: Mainframes, Minicomputers	ITEW1				
2	Personal Computing: Personal Computers (Central Processing Unit with input and output devices)	ITEW2				
3	Personal Computing: Laptop Computers(Central Processing Unit with input and	ITEW3				

	output devices)							
4	Personal	ITEW4						
	Computing:							
	Notebook							
	Computers							
5	Personal	ITEW5						
	Computing:							
	Notepad Computers							
6	Printers including	ITEW6						
	cartridges							
7	Copying equipment	ITEW7						
8	Electrical and	ITEW8						
	electronic							
	typewriters							
9	User terminals and	ITEW9						
	systems							
10	Facsimile	ITEW10						
11	Telex	ITEW11						
12	Telephones	ITEW12						
13	Pay telephones	ITEW13						
14	Cordless	ITEW14						
	telephones							
15	Cellular telephones	ITEW15						
16	Answering systems	ITEW16						
В	Consumer electrical		nics:					
17	Television sets	CEEW1						
	(including sets							
	based on (Liquid							
	Crystal Display and							
	Light Emitting Diode							
L	technology)							
18	Refrigerator	CEEW2						
19	Washing Machine	CEEW3						
20	Air-conditioners	CEEW4						
	excluding							
	centralised air							
	conditioning plants	0==1/:-						
21	Fluorescent and	CEEW5						
	other Mercury							
	containing lamps							

 Estimated generation of Electrical and Electronic Equipment waste item-wise and estimated collection target for the forthcoming year in the form of Table 2 including those being generated from their service centres, as given below:

Table 2: Estimated generation of Electrical and Electronic Equipment waste item-wise and estimated collection target for the forthcoming year

Sr. No.	Item	Number weight	and

- Extended Producer Responsibility Plans:
 - (a) Please provide details of your overall scheme to fulfil Extended Producer Responsibility obligations including targets. This should comprise of general scheme of collection of used/waste Electrical and Electronic Equipment from the Electrical and Electronic Equipment placed on the market earlier such as through dealers and collection centres, Producer Responsibility Organisation, through buy-back arrangement, exchange scheme, Deposit Refund Scheme, etc. whether directly or through any authorised agency and channelising the items so collected to authorised recyclers.
 - (b) Provide the list with addresses along with agreement copies with dealers, collection centres, recyclers, Treatment, Storage and Disposal Facility, etc. under your scheme.
- 7. Estimated budget for Extended Producer Responsibility and allied initiatives to create consumer awareness.
- 8. Details of proposed awareness programmes.
- 9. Details for Reduction of Hazardous Substances compliance (to be filled if applicable):
- (a) Whether the Electrical and Electronic Equipment placed on market complies with the rule 16 (1) limits with respect to lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls and polybrominateddiphenyl ethers;
- (b)Provide the technical documents (Supplier declarations, Materials declarations/Analytical reports) as evidence that the Reduction of Hazardous Substances (RoHS) provisions are complied by the product based on standard EN 50581 of EU;
- (c) Documents required:
 - i. Extended Producer Responsibility plan;
 - ii. Copy of the permission from the relevant Ministry/Department for selling their product;

- iii. Copies of agreement with dealers, collection centre, recyclers, Treatment, Storage and Disposal Facility, etc.;
 iv. Copy of Directorate General of Foreign Trade license/permission as applicable;
 v. Self-declaration regarding Reduction of Hazardous Substances provision;

- vi. Any other document as required.

Place:	(Authorised signature)
Date:	

FORM 1(a)

[See rules 4(2), 8 (2), 13(2) (ii), 13(2) (vi) and 13(4) (i)]

APPLICATION FOR OBTAINING AUTHORISATION FOR GENERATION OR STORAGE OR TREATMENT OR DISPOSAL OF E-WASTE BY MANUFACTURER OR REFURBISHER*

From:	
То	
The Member Secretary,	
to 13(2) (viii) and/or 13 (4) (i) of the E collection/storage/ transportation/ treatment/	refurbishing/disposal of e-wastes.
For Office U	Jse Only
Code No. : Whether the unit is situated in a critically polli Environment and Forests (yes/no);	uted area as identified by Ministry of
To be filled in k	oy Applicant
1. Name and full address: 2. Contact Person with designation and contant No. and E-mail: 3. Authorisation required for (Please tick mare (i) Generation during manufacturing or (ii) Treatment, if any (iii) Collection, Transportation, Storage (iv) Refurbishing 4. E-waste details:	k appropriate activity/ies*)
(a) Total quantity e-waste generated in N (b) Quantity refurbished (applicable to re (c) Quantity sent for recycling (d) Quantity sent for disposal	
5. Details of Facilities for storage/handling/tre	eatment/refurbishing:
6. In case of renewal of authorisation previou of annual returns:	us authorisation no. and date and details
Place :	Signature
Date :	(Name) Designation:

FORM 1 (aa) [See rules 5 (6) and 13(1)(ii)]

FORMAT OF EXTENDED PRODUCER RESPONSIBILITY - AUTHORISATION

[Extended Producer Responsibility Authorisation for Producer of the Electrical & Electronic Equipment]

Pof: Vour application for Grant of Extended Draducer Responsibility. Authorisation for

INCI. I Oui applica	ation for Grant of Extend	ded Froducer Nesponsi	bility - Authorisation for
following Electrica	al & Electronic Equipme	ent under E-Waste (Mar	nagement) Rules, 2016
1 Number of	f Authorisation		

M/s. ----- is hereby granted Extended Producer Responsibility -Authorisation based on:

Date:

- (a) overall Extended Producer Responsibility plan
- (b) proposed target for collection of e-waste
- 3. The Authorisation shall be valid for a period of ____ years from date of issue with following conditions:
 - (i) you shall strictly follow the approved Extended Producer Responsibility plan, a copy of which is enclosed herewith;
 - (ii) you shall ensure that collection mechanism or centre are set up or designated as per the details given in the Extended Producer Responsibility plan. Information on collection mechanism/centre including the state-wise setup should be provided;
 - (iii) you shall ensure that all the collected e-waste is channelised to authorised dismantler or recycler designated as per the details. Information on authorised dismantler or recycler designated state-wise should be provided;
 - (iv) you shall maintain records, in Form-2 of these Rules, of e-waste and make such records available for scrutiny by Central Pollution Control Board;
 - (v) you shall file annual returns in Form-3 to the Central Pollution Control Board on or before 30th day of June following the financial year to which that returns relates:
 - (vi) General Terms & Conditions of the Authorisation:
 - a. The authorisation shall comply with provisions of the Environment (Protection) Act, 1986 and the Rules made there under;
 - b. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the Central Pollution Control Board:
 - c. Any change in the approved Extended Producer Responsibility plan should be informed to Central Pollution Control Board on which decision

- shall be communicated by Central Pollution Control Board within sixty days;
- d. It is the duty of the authorised person to take prior permission of the concerned State Pollution Control Boards and Central Pollution Control Board to close down the facility:
- e. An application for the renewal of authorisation shall be made as laid down in sub-rule (vi) of rule of 13(1) the E-Waste (Management) Rules, 2016;
- f. The Board reserves right to cancel/amend/revoke the authorisation at any time as per the Policy of the Board or Government.

Authorized signatory (with designation)

To, Concerned Producer Copy to:

- 1. Member Secretary, Concerned State.
- 2. In-charge, concerned Zonal Office, Central Pollution Control Board.

FORM 1(bb)

[See rules 4(2), 8(2)(a), 13(2) (iii) and 13(4)(ii)]

FORMAT FOR GRANTING AUTHORISATION FOR GENERATION OR STORAGE OR TREATMENT OR REFURBISHING OR DISPOSAL OF E-WASTE BY MANUFACTURER OR REFURBISHER

Ref: Your application for Grant of Authorisation

1. (a) Authorisation no and (b) date of i	ssue
2	disposal of e-waste on the premises
3. The authorisation shall be valid for a period from	1 to
4. The e-waste mentioned above shall be treated/	disposed off in a manner af
5. The authorisation is subject to the conditions s may be specified in the rules for the time beir (Protection) Act, 1986.	
Signature Designation	Date:

Terms and conditions of authorisation

- 1. The authorisation shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made thereunder.
- 2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorized by the concerned State Pollution Control Board.
- Any unauthorised change in personnel, equipment as working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorisation.
- 4. It is the duty of the authorised person to take prior permission of the concerned State Pollution Control Board to close down the operations.
- 5. An application for the renewal of an authorisation shall be made as laid down in sub-rule (vi) of rule 13(2).

FORM-2

[See rules 4(4), 5(4), 6(5), 8(7), 9(2), 10(7), 11(8), 13 (1) (xi), 13(2)(v), 13(3)(vii) ar 13 (4)(v)]

FORM FOR MAINTAINING RECORDS OF E-WASTE HANDLED OR GENERATI

Generated Quantity in Metric Tonnes (MT) per year

	Generated Qua	antity in Metric Tonne	s (MT) per year
1.	Name & Address:		
	Producer or		
	Manufacturer or		
	Refurbisher or		
	Dismantler or Recycler		
	or Bulk Consumer*		
2.	Date of Issue of		
	Extended Producer		
	Responsibility		
	Authorisation*/		
	Authorisation*		
3.	Validity of Extended		
	Producer Responsibility		
	Authorisation*/		
	Authorisation*		
4.	Types & Quantity of e-	Category	Quantity
	waste handled or	Item Description	
	generated**	•	
5.	Types & Quantity of	Category	Quantity
	e-waste stored	Item Description	
6.	Types & Quantity of	Category	Quantity
	e-waste sent to	Item Description	
	collection centre	•	
	authorised by producer/		
	dismantler/recycler /		
	refurbisher or authorised		
	dismantler/recycler or		
	refurbisher**		
7.	Types & Quantity of	Category	Quantity
	e-waste transported*	Quantity	
	Name, address and		
	contact details of the		
	destination		,
8.	Types & Quantity of	Category	Quantity
	e-waste refurbished*	Item Description	
	Name, address and		
	contact details of the		
	destination of		
	refurbished materials		
9.	Types & Quantity of	Category	Quantity
	e-waste dismantled*	Item Description	
	Name, address and	•	
	contact details of the		
	destination		

10.	Types & Quantity of e-waste recycled*	Category	Quantity
	Types & Quantity of	Item Description	
	materials recovered	Quantity	
	Name, address and contact details of the destination		
11.	Types & Quantity of e-	Category	Quantity
	waste sent to recyclers by dismantlers	Item Description	•
	Name, address and contact details of the destination		
12.	Types & Quantity of other waste sent to	Category	Quantity
respective rec	respective recyclers by dismantlers/recyclers of e-waste	Item Description	
	Name, address and contact details of the destination		
13.	Types & Quantity of	Category	Quantity
	e-waste treated & disposed	Item Description	·
	Name, address and contact details of the destination		

Note:-

- (1) * Strike off whichever is not applicable
- (2) Provide any other information as stipulated in the conditions to the authoriser
- (3) ** For producers this information has to be provided state-wise

FORM-3

[See rules 4(5), 5(5), 8(6), 9(4), 10(8), 11(9), 13 (1) (xi), 13(2)(v), 13(3)(vii) and 13(4)(v)]

FORM FOR FILING ANNUAL RETURNS

[To be submitted by producer or manufacturer or refurbisher or dismantler or recycler by 30th day of June following the financial year to which that return relates].

Quantity in Metric Tonnes (MT) and numbers

	Quantity in Metric Tonnes (M	i) and number	5	
1	Name and address of the producer or manufacturer or refurbisher or dismantler			
	or recycler			
2	Name of the authorised person and			
	complete address with telephone and fax			
	numbers and e-mail address			
3	Total quantity of e-waste collected or			
	channelised to recyclers or dismantlers			
	for processing during the year for each			
	category of electrical and electronic			
	equipment listed in the Schedule I			
	(Attach list) by PRODUCERS	TVDE	OLIANITITY/	NI-
2/4)*	Details of the above	TYPE	QUANTITY	No.
3(A)*	BULK CONSUMERS: Quantity of e-			
2/D*	waste			
3(B)*	REFURBISHERS: Quantity of e-waste: DISMANTLERS:			
3(C)*	i Quantity of e-waste processed (Code			
	wise);			
	ii. Details of materials or components			
	recovered and sold;			
	iii. Quantity of e-waste sent to recycler;			
	iv. Residual quantity of e-waste sent to			
	Treatment, Storage and Disposal			
	Facility.			
3(D)*	RECYCLERS:			
, ,	i. Quantity of e-waste processed (Code			
	wise);			
	ii. Details of materials recovered and sold			
	in the market;			
	iii. Details of residue sent to Treatment,			
	Storage and Disposal Facility.			
4	Name and full address of the destination			
	with respect to 3(A)-3(D) above			
5	Type and quantity of materials	Туре	Quantity	
	segregated or recovered from e-waste of			
	different codes as applicable to $3(\Delta)-3(D)$			

✓ Enclose the list of recyclers to whom e-waste have been sent for recycling.
Place

Date	Signature of the authorised person
Note:-	

- (1) * Strike off whichever is not applicable
- (2) Provide any other information as stipulated in the conditions to the authoriser (3) In case filing on behalf of multiple regional offices, Bulk Consumers and Producers need to add extra rows to 1 & 3(A) with respect to each office.

FORM-4

[See rules 13(3)(i) and 13(3)(vi)]

APPLICATION FORM FOR AUTHORISATION OF FACILITIES POSSESSING ENVIRONMENTALLY SOUND MANAGEMENT PRACTICE FOR DISMANTLING OR RECYCLING OF E-WASTE

(To be submitted in triplicate)

	(TO be submitted in the	iplicate)			
1.	Name and Address of the unit				
2.	Contact person with designation, Tel./Fax				
3.	Date of Commissioning				
4.	No.of workers (including contract labour)				
5.	Consents Validity	of Pollu	ition) Ad	t, 1974	and Control 4; I Control of
		Pollutio Valid up	n) Act, ^r p to	1981;	
6.	Validity of current authorisation if any	Handlir Valid u		s, 201	1;
7.	Dismantling or Recycling Process				te details
8.	Installed capacity in MT/year	Products Installed capaci (MTA)			
9.	E-waste processed during last three years	Year	Produ	ct	Quantity
10	Waste Management:		1		
	Waste generation in processing e-waste	Please	provid	e deta	ails material
		wise			
	b. Provide details of disposal of residue.	Please	provide	details	3
	c. Name of Treatment Storage and Disposal Facility utilized for				
11.	Details of e-waste proposed to be procured from re-processing	Please	provide	details	5
12.	Occupational safety and health aspects	Please	provide	details	3
13.	Details of Facilities for dismantling both manual as well as mechanised:				

14.	Copy of agreement with Collection Cent	re
15.	Copy agreement with Producer	
16.	Details of storage for dismantled e-wast	е
17.	Copy of agreement with Recycler	
18.	Details of Facilities for Recycling	
19.	Copy of agreement with Collection Cent	re
20.	Copy agreement with Producer	
21.	Details of storage for raw mater recovered materials	ials and
	and date	previous registration or authorisation no. ents or information are true and correct to the
		Signature
	Place:	Name:
	Date:	Designation:

Form-5 [See rule 18 (1)]

FORM FOR ANNUAL REPORT TO BE SUBMITTED BY THE STATE POLLUTION CONTROL BOARD TO THE CENTRAL POLLUTION CONTROL BOARD

To,	
,	The Chairman,
	Central Pollution Control Board,
	(Ministry of Environment And Forests)
	Government Of India, 'Parivesh Bhawan', East Arjun Nagar
	Delhi- 110 0032

1.	Number of authorised manufacturer, refurbisher, collection centre, dismantler and recycler for management of e-waste in the State or Union territory under these rules	:	
2.	Categories of waste collected along with their quantities on a monthly average basis:	:	Please attach as Annexure-I
3.	A Summary Statement code-wise of e-waste collected	:	Please attach as Annexure-II
4.	Details of material recovered from recycling of e-waste	:	
5.	Quantity of CFL received at Treatment, Storage and Disposal Facility	:	
6.	The above report is for the period from		to

Place:	
Date:	
	Chairman or the Member Secretary
	State Pollution Control Board

Form-6 [See rule 19]

E-WASTE MANIFEST

1.	Sender's name and mailing address (including Phone No.)	
	:	
2.	Sender's authorisation No, if applicable.	
3.	Manifest Document No. :	
4.	Transporter's name and address : (including Phone No.)	
5.	Type of vehicle :	(Truck or Tanker or Special Vehicle)
6.	Transporter/s registration No. :	
7.	Vehicle registration No.	
8.	Receiver's name & address :	
9.	Receiver's authorisation No, if applicable.	
10.	Description of E-Waste (Item, Weight/ Numbers):	
11.	Name and stamp of Sender* (Manufacturer Collection Centre or Refurbisher or Dismantl Signature: Month Day	
12.	Transporter acknowledgement of receipt of E-Wastes	
	Name and stamp: Signature: Year	Month Day
13.	Receiver* (Collection Centre or Refurbis certification of receipt of E-waste	her or Dismantler or Recycler)
	Name and stamp: Signature: Year	Month Day

Note:-

Copy number	Purpose		
with colour code	(2)		
(1)			
Copy 1 (Yellow)	1 (Yellow) To be retained by the sender after taking signature on it from the		
	transporter and other three copies will be carried by transporter.		
Copy 2 (Pink)	Copy 2 (Pink) To be retained by the receiver after signature of the transporter.		
Copy 3 (Orange)	To be retained by the transporter after taking signature of the		
	receiver.		
Copy 4 (Green)	Copy 4 (Green) To be returned by the receiver with his/her signature to the sender		

^{*} As applicable

FORM 7 [See rule 22]

APPLICATION FOR FILING APPEAL AGAINST THE ORDER PASSED BY CENTRAL POLLUTION CONTROL BOARD/STATE POLLUTION CONTROL BOARD

1. 2. 3. 4. 5.	Name and address of the person making the appeal Number, date of order and address of the authority to which passed the order, against which appeal is Ground on which the appeal is being made Relief sought for List of enclosures other than the order referred in point 2 against which the appeal is being filed.	: (certified copy of the order be attached) : :
Place	Nam	aturee and address
Date:		
	Joint Secre	Bishwanath Sinha etary to Government of India (F No. 12-6/2013-HSMD)

Annexure-2

E-waste Quiz

Exercise: E-waste Quiz

Task:

- Select the correct answer from the questions below
- You have 10 min for completing the questionnaire

Questions:

- 1. When were the E-waste (Management) rules, 2016 notified?
 - a) 14th May 2010
 - b) 10th June 2009
 - c) 23 March 2016
 - d) 1st May 2012
- 2. The e-waste category added in E-waste (Management) rules, 2016 is following:
 - a) Television
 - b) Laptops
 - c) Air-Conditioners
 - d) CFL
- 3. In the context of Recycling, what does ARF stand for?
 - a) Average Recycling Fee
 - b) Advanced Recycling Fee
 - c) Aggregate Recycling Fee
 - d) Advanced Remuneration Fee
- 4. The major part of the material found in a PC
 - a) Plastic
 - b) Copper
 - c) Iron
 - d) Aluminium
- 5. Which toxic compound is not found in E-waste
 - a) Mercury
 - b) Neon
 - c) Cadmium
 - d) Lead
- 6. According to Chapter V of the E-waste rules dealing with Reduction in the use of Hazardous Substances, identify the permitted concentration of hazardous substances

- a) 0.05% by weight in homogeneous materials for lead, mercury, hexavalent chromium, polybrominated biphenyls and polybrominateddiphenyl and 0.005% by weight in homogeneous materials for cadmium
- b) 0.1% by weight in homogeneous materials for lead, mercury, hexavalent chromium, polybrominated biphenyls and polybrominateddiphenyl and 0.01% by weight in homogeneous materials for cadmium
- c) 0.01% by weight in homogeneous materials for lead, mercury, hexavalent chromium, polybrominated biphenyls and polybrominateddiphenyl and 0.1% by weight in homogeneous materials for cadmium
- d) 0.2% by weight in homogeneous materials for lead, mercury, hexavalent chromium, polybrominated biphenyls and polybrominateddiphenyl and 0.025% by weight in homogeneous materials for cadmium
- 7. What is the amount of E-waste generated in India in 2014?
 - a) More than 0.4 milion tons
 - b) 1.7 milion tones
 - c) Between 0.7 to 0.8 milion tons
 - d) More than 1 milion tons
- 8. Battery of electronics item comes under E-waste Management and Handling Rules?
 - a) True
 - b) False
- 9. What Hazardous Chemicals is used in the recovery of Precious Metal by informal sector?
 - a) Nitric acid
 - b) Mercury amalgam
 - c) Caustic Soda
 - d) All of the above
- 10. Who are the stakeholders added in E-waste (Management) Rules, 2016
 - a) Producers & Bulk Consumers
 - b) Refurbishers & Dealers
 - c) Dismantler & Recyclers
- 11. The state Boards and committees shall prepare and submit to the Central Pollution Control Board with an annual report with regard to the implementation of these rules by
 - a) 30th December every year
 - b) 31st March every year
 - c) 12th May Every Year
 - d) 30th June Every Year
- 12. To ensure that e-waste pertaining to orphan products is collected and channelized to authorized collector/ dismantler/ recycler, this responsibility lies with the
 - a) Municipal Corporation

- b) Pollution Control Board
- c) Department of Environment
- d) Department of IT
- 13. According to E-waste (Management) Rules, 2016, the collection target is mandatory for which stakeholders
 - a) Producers
 - b) Recyclers
 - c) Dismantlers
- 14. What is the maximum number of day for which every producer, collection center, dismantler or recycler can store E-waste?
 - a) 90 days
 - b) 240 days
 - c) 60 days
 - d) 180 days
- 15. In which form bulk consumers should maintain the record and file the annual returns
 - a) Form-1 &2 respectively
 - b) Form 3 & 4 respectively
 - c) Form 2 & 3 respectively
 - d) Form 1 & 4 respectively

Answer Sheet for E-waste Quiz

Answer sheet for E-waste Quiz

Task:

- Select the correct answer from the questions below
- You have 10 min for completing the questionnaire

Questions:

- 9. When were the E-waste (Management) rules, 2016 notified?
 - e) 14th May 2010
 - f) 10th June 2009
 - g) 23 March 2016
 - h) 1st May 2012
- 10. The e-waste category added in E-waste (Management) rules, 2016 is following:
 - e) Television
 - f) Laptops
 - g) Air-Conditioners
 - h) CFL
- 11. In the context of Recycling, what does ARF stand for?
 - e) Average Recycling Fee
 - f) Advanced Recycling Fee
 - g) Aggregate Recycling Fee
 - h) Advanced Remuneration Fee
- 12. The major part of the material found in a PC
 - e) Plastic
 - f) Copper
 - g) Iron
 - h) Aluminium
- 13. Which toxic compound is not found in E-waste
 - e) Mercury
 - f) Neon
 - g) Cadmium
 - h) Lead
- 14. According to Chapter V of the E-waste rules dealing with Reduction in the use of Hazardous Substances, identify the permitted concentration of hazardous substances

- e) 0.05% by weight in homogeneous materials for lead, mercury, hexavalent chromium, polybrominated biphenyls and polybrominateddiphenyl and 0.005% by weight in homogeneous materials for cadmium
- f) 0.1% by weight in homogeneous materials for lead, mercury, hexavalent chromium, polybrominated biphenyls and polybrominateddiphenyl and 0.01% by weight in homogeneous materials for cadmium
- g) 0.01% by weight in homogeneous materials for lead, mercury, hexavalent chromium, polybrominated biphenyls and polybrominateddiphenyl and 0.1% by weight in homogeneous materials for cadmium
- h) 0.2% by weight in homogeneous materials for lead, mercury, hexavalent chromium, polybrominated biphenyls and polybrominateddiphenyl and 0.025% by weight in homogeneous materials for cadmium
- 15. What is the amount of E-waste generated in India in 2014?
 - e) More than 0.4 milion tons
 - f) 1.7 milion tones
 - g) Between 0.7 to 0.8 milion tons
 - h) More than 1 milion tons
- 16. Battery of electronics item comes under E-waste Management and Handling Rules?
 - c) True
 - d) False
- 16. What Hazardous Chemicals is used in the recovery of Precious Metal by informal sector?
 - e) Nitric acid
 - f) Mercury amalgam
 - g) Caustic Soda
 - h) All of the above
- 17. Who are the stakeholders added in E-waste (Management) Rules, 2016
 - d) Producers & Bulk Consumers
 - e) Refurbishers & Dealers
 - f) Dismantler & Recyclers
- 18. The state Boards and committees shall prepare and submit to the Central Pollution Control Board with an annual report with regard to the implementation of these rules by
 - e) 30th December every year
 - f) 31st March every year
 - g) 12th May Every Year
 - h) 30th June Every Year
- 19. To ensure that e-waste pertaining to orphan products is collected and channelized to authorized collector/ dismantler/ recycler, this responsibility lies with the
 - e) Municipal Corporation
 - f) Pollution Control Board

- g) Department of Environment
- h) Department of IT
- 20. According to E-waste (Management) Rules, 2016, the collection target is mandatory for which stakeholders
 - d) Producers
 - e) Recyclers
 - f) Dismantlers
- 21. What is the maximum number of day for which every producer, collection center, dismantler or recycler can store E-waste?
 - e) 90 days
 - f) 240 days
 - g) 60 days
 - h) 180 days
- 22. In which form bulk consumers should maintain the record and file the annual returns
 - e) Form-1 &2 respectively
 - f) Form 3 & 4 respectively
 - g) Form 2 & 3 respectively
 - h) Form 1 & 4 respectively

Annexure-3

Development Action Plan

Exercise: Developing an Action Plan

Task:

- Spilt up in grou0ps of five
- Discuss with your group members the current situation regarding the implementation of the implementation of the e-waste (Management & Handling) Rules
- In the next step you will develop an Action Plan for the effective implementation of the e-waste (Management & Handling) Rules by the SPCB
- Fill in the Action Plan Template below
- Write the main parts of the Action Plan on maximum two large sheets of paper
- Present your Action Plan to the group

Details:

- You would state in which fields of e-waste management you want to/ have to take action
- For each of these fields, formulate targets you want to/have to achieve
- For each target, specify indicators which you can use to measure whether the target has been achieved
- For each target, provide one/several measure (s) on how to achieve it
- For each measure, specify who will be responsible within the SPCB for implementation and which other stakeholders need to be involved
- Also specify for each measure, which resources will be required
- Finally, think about a timeline for implementing the action plan. Prioritize the measures, think about dependencies between them and be realistic

Materials:

- Two large sheets of paper per group
- · Different coloured markers for each group
- Different coloured note cards for each group

Action Field	Target	Indicator	Measure	Responsibility/Stakeholder	Resources	Deadline





